



RESTful bindings for Parlay X Web Services – Terminal Location

Approved Version 1.1 – 24 Jul 2012

Open Mobile Alliance
OMA-TS-ParlayREST_TerminalLocation-V1_1-20120724-A

Use of this document is subject to all of the terms and conditions of the Use Agreement located at <http://www.openmobilealliance.org/UseAgreement.html>.

Unless this document is clearly designated as an approved specification, this document is a work in process, is not an approved Open Mobile Alliance™ specification, and is subject to revision or removal without notice.

You may use this document or any part of the document for internal or educational purposes only, provided you do not modify, edit or take out of context the information in this document in any manner. Information contained in this document may be used, at your sole risk, for any purposes. You may not use this document in any other manner without the prior written permission of the Open Mobile Alliance. The Open Mobile Alliance authorizes you to copy this document, provided that you retain all copyright and other proprietary notices contained in the original materials on any copies of the materials and that you comply strictly with these terms. This copyright permission does not constitute an endorsement of the products or services. The Open Mobile Alliance assumes no responsibility for errors or omissions in this document.

Each Open Mobile Alliance member has agreed to use reasonable endeavors to inform the Open Mobile Alliance in a timely manner of Essential IPR as it becomes aware that the Essential IPR is related to the prepared or published specification. However, the members do not have an obligation to conduct IPR searches. The declared Essential IPR is publicly available to members and non-members of the Open Mobile Alliance and may be found on the “OMA IPR Declarations” list at <http://www.openmobilealliance.org/ipr.html>. The Open Mobile Alliance has not conducted an independent IPR review of this document and the information contained herein, and makes no representations or warranties regarding third party IPR, including without limitation patents, copyrights or trade secret rights. This document may contain inventions for which you must obtain licenses from third parties before making, using or selling the inventions. Defined terms above are set forth in the schedule to the Open Mobile Alliance Application Form.

NO REPRESENTATIONS OR WARRANTIES (WHETHER EXPRESS OR IMPLIED) ARE MADE BY THE OPEN MOBILE ALLIANCE OR ANY OPEN MOBILE ALLIANCE MEMBER OR ITS AFFILIATES REGARDING ANY OF THE IPR'S REPRESENTED ON THE “OMA IPR DECLARATIONS” LIST, INCLUDING, BUT NOT LIMITED TO THE ACCURACY, COMPLETENESS, VALIDITY OR RELEVANCE OF THE INFORMATION OR WHETHER OR NOT SUCH RIGHTS ARE ESSENTIAL OR NON-ESSENTIAL.

THE OPEN MOBILE ALLIANCE IS NOT LIABLE FOR AND HEREBY DISCLAIMS ANY DIRECT, INDIRECT, PUNITIVE, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE USE OF DOCUMENTS AND THE INFORMATION CONTAINED IN THE DOCUMENTS.

© 2012 Open Mobile Alliance Ltd. All Rights Reserved.

Used with the permission of the Open Mobile Alliance Ltd. under the terms set forth above.

Contents

1. SCOPE	7
2. REFERENCES	8
2.1 NORMATIVE REFERENCES	8
2.2 INFORMATIVE REFERENCES	8
3. TERMINOLOGY AND CONVENTIONS	9
3.1 CONVENTIONS	9
3.2 DEFINITIONS	9
3.3 ABBREVIATIONS	9
4. INTRODUCTION	10
4.1 VERSION 1.0	10
4.2 VERSION 1.1	10
5. TERMINAL LOCATION API DEFINITION	11
5.1 RESOURCE SUMMARY	11
5.2 TERMINAL LOCATION DATA STRUCTURES	13
5.2.1 Type: TerminalLocation	14
5.2.2 Type: TerminalLocationList	14
5.2.3 Type: SubscriptionNotification.....	14
5.2.4 Type: SubscriptionCancellationNotification.....	15
5.2.5 Type: TerminalDistance.....	15
5.2.6 Type: LocationInfo	15
5.2.7 Type: NotificationSubscriptionList.....	15
5.2.8 Type: CircleNotificationSubscription	16
5.2.9 Type: PeriodicNotificationSubscription.....	17
5.2.10 Type: DistanceNotificationSubscription.....	18
5.2.11 Enumeration: EnteringLeavingCriteria	19
5.2.12 Void	19
5.2.13 Enumeration: DistanceCriteria.....	20
5.2.14 Enumeration: DelayTolerance	20
5.2.15 Values of the Link “rel” attribute.....	20
5.3 SEQUENCE DIAGRAMS	20
5.3.1 Location query	20
5.3.2 Distance from location query.....	21
5.3.3 Distance between two terminals query	22
5.3.4 Periodic location notification	23
5.3.5 Area (circle) location notification	24
5.3.6 Distance location notification	25
5.4 RESOURCE: TERMINAL LOCATION	27
5.4.1 Request URI variables	27
5.4.2 Response codes	27
5.4.2.1 <i>HTTP Response Codes</i>	27
5.4.2.2 <i>Exception fault codes</i>	27
5.4.3 GET.....	27
5.4.3.1 <i>Example 1: (one terminal address) (Informative)</i>	28
5.4.3.2 <i>Example 2: (multiple terminal addresses) (Informative)</i>	28
5.4.3.3 <i>Example 3: (location with unsupported accuracy) (Informative)</i>	29
5.4.3.4 <i>Example 4: (unauthorized requester) (Informative)</i>	30
5.4.4 PUT.....	30
5.4.5 POST.....	30
5.4.6 DELETE	31
5.5 RESOURCE: TERMINAL DISTANCE	31
5.5.1 Request URI variables	31
5.5.2 Response codes	31
5.5.2.1 <i>HTTP Response Codes</i>	31

- 5.5.2.2 Exception fault codes 31
- 5.5.3 GET 31
 - 5.5.3.1 Example 1: (distance between a terminal and a location) (Informative) 32
 - 5.5.3.2 Example 2: (distance between two terminals) (Informative) 32
 - 5.5.3.3 Example 3: (invalid address) (Informative) 33
 - 5.5.3.4 Example 4: (too many addresses) (Informative) 33
- 5.5.4 PUT 34
- 5.5.5 POST 34
- 5.5.6 DELETE 34
- 5.6 RESOURCE: PERIODIC LOCATION NOTIFICATION SUBSCRIPTIONS 34**
 - 5.6.1 Request URI variables 34
 - 5.6.2 Response codes 34
 - 5.6.2.1 HTTP Response Codes 34
 - 5.6.2.2 Exception fault codes 34
 - 5.6.3 GET 34
 - 5.6.3.1 Example (Informative) 35
 - 5.6.4 PUT 35
 - 5.6.5 POST 35
 - 5.6.5.1 Example 1: returning a representation of created resource (Informative) 36
 - 5.6.5.2 Example 2: returning the location of created resource (Informative) 36
 - 5.6.6 DELETE 37
- 5.7 RESOURCE: INDIVIDUAL PERIODIC LOCATION NOTIFICATION SUBSCRIPTION 37**
 - 5.7.1 Request URI variables 37
 - 5.7.2 Response codes 38
 - 5.7.2.1 HTTP Response Codes 38
 - 5.7.2.2 Exception fault codes 38
 - 5.7.3 GET 38
 - 5.7.3.1 Example (Informative) 38
 - 5.7.4 PUT 38
 - 5.7.4.1 Example (Informative) 39
 - 5.7.5 POST 39
 - 5.7.6 DELETE 39
 - 5.7.6.1 Example (Informative) 40
- 5.8 RESOURCE: AREA (CIRCLE) NOTIFICATION SUBSCRIPTIONS 40**
 - 5.8.1 Request URI variables 40
 - 5.8.2 Response codes 40
 - 5.8.2.1 HTTP Response Codes 40
 - 5.8.2.2 Exception fault codes 40
 - 5.8.3 GET 40
 - 5.8.3.1 Example (Informative) 40
 - 5.8.4 PUT 41
 - 5.8.5 POST 42
 - 5.8.5.1 Example (Informative) 42
 - 5.8.6 DELETE 43
- 5.9 RESOURCE: AREA (CIRCLE) INDIVIDUAL NOTIFICATION SUBSCRIPTION 43**
 - 5.9.1 Request URI variables 43
 - 5.9.2 Response Codes 43
 - 5.9.2.1 HTTP Response Codes 43
 - 5.9.2.2 Exception fault codes 43
 - 5.9.3 GET 43
 - 5.9.3.1 Example (Informative) 43
 - 5.9.4 PUT 44
 - 5.9.4.1 Example: update radius (Informative) 44
 - 5.9.5 POST 45
 - 5.9.6 DELETE 45
 - 5.9.6.1 Example (Informative) 45
- 5.10 RESOURCE: DISTANCE NOTIFICATION SUBSCRIPTIONS 46**
 - 5.10.1 Request URI variables 46
 - 5.10.2 Response codes 46
 - 5.10.2.1 HTTP Response Codes 46

5.10.2.2	Exception fault codes.....	46
5.10.3	GET.....	46
5.10.3.1	Example (Informative).....	46
5.10.4	PUT.....	47
5.10.5	POST.....	48
5.10.5.1	Example (Informative).....	48
5.10.6	DELETE.....	49
5.11	RESOURCE: DISTANCE INDIVIDUAL NOTIFICATION SUBSCRIPTION.....	49
5.11.1	Request URI variables.....	49
5.11.2	Response Codes.....	49
5.11.2.1	HTTP Response Codes.....	49
5.11.2.2	Exception fault codes.....	49
5.11.3	GET.....	49
5.11.3.1	Example (Informative).....	49
5.11.4	PUT.....	50
5.11.4.1	Example: add a monitored address (Informative).....	50
5.11.5	POST.....	51
5.11.6	DELETE.....	51
5.11.6.1	Example (Informative).....	51
5.12	RESOURCE: CLIENT NOTIFICATION CALLBACK RESOURCE.....	52
5.12.1	Request URI variables.....	52
5.12.2	Response Codes.....	52
5.12.2.1	HTTP Response Codes.....	52
5.12.2.2	Exception fault codes.....	52
5.12.3	GET.....	52
5.12.4	PUT.....	52
5.12.5	POST.....	52
5.12.5.1	Example 1: Circle area notification (one terminal) (Informative).....	52
5.12.5.2	Example 2: Periodic location notification (one terminal) (Informative).....	53
5.12.5.3	Example 3: Distance location notification (one terminal) (Informative).....	54
5.12.5.4	Example 4: Final periodic location notification (Informative).....	54
5.12.5.5	Example 5: Subscription cancellation notification (Informative).....	55
5.12.6	DELETE.....	56
APPENDIX A.	CHANGE HISTORY (INFORMATIVE).....	57
A.1	APPROVED VERSION HISTORY.....	57
APPENDIX B.	STATIC CONFORMANCE REQUIREMENTS (NORMATIVE).....	58
B.1	SCR FOR PARLAYREST.TERMINALLOCATION SERVER.....	58
B.1.1	SCR for ParlayREST.TerminalLocation.TerminalLocation Server.....	58
B.1.2	SCR for ParlayREST.TerminalLocation. TerminalDistanceFromLocation Server.....	58
B.1.3	SCR for ParlayREST.TerminalLocation. PeriodicLocationNotificationSubscriptions Server.....	58
B.1.4	SCR for ParlayREST.TerminalLocation. IndividualPeriodicNotificationSubscr Server.....	59
B.1.5	SCR for ParlayREST.TerminalLocation. AreaCircleNotificationSubscriptions Server.....	59
B.1.6	SCR for ParlayREST.TerminalLocation. AreaCircleIndividualNotificationSubscription Server.....	60
B.1.7	SCR for ParlayREST.TerminalLocation. DistanceNotificationSubscriptions Server.....	60
B.1.8	SCR for ParlayREST.TerminalLocation. DistanceIndividualNotificationSubscription Server.....	61
B.1.9	SCR for ParlayREST. TerminalLocation. ClientNotificationCallbackResource Server.....	61
APPENDIX C.	APPLICATION/X-WWW-FORM-URLENCODED REQUEST FORMAT FOR POST OPERATIONS (NORMATIVE).....	62
APPENDIX D.	JSON EXAMPLES (INFORMATIVE).....	63
D.1	GET LOCATION SINGLE ADDRESS (SECTION 5.4.3.1).....	63
D.2	GET LOCATION MULTIPLE ADDRESSES (SECTION 5.4.3.2).....	63
D.3	LOCATION WITH UNSUPPORTED ACCURACY (SECTION 5.4.3.3).....	64
D.4	LOCATION WITH UNAUTHORIZED REQUESTER (SECTION 5.4.3.4).....	65
D.5	DISTANCE BETWEEN A TERMINAL AND A LOCATION (SECTION 5.5.3.1).....	65
D.6	DISTANCE BETWEEN TWO TERMINALS (SECTION 5.5.3.2).....	65
D.7	INVALID ADDRESS (SECTION 5.5.3.3).....	66
D.8	TOO MANY ADDRESSES (SECTION 5.5.3.4).....	66

D.9 GET PERIODIC NOTIFICATION SUBSCRIPTIONS (SECTION 5.6.3)..... 67

D.10 CREATE NEW PERIODIC NOTIFICATION SUBSCRIPTION, RETURNING A REPRESENTATION OF CREATED RESOURCE (SECTION 5.6.5.1) 67

D.11 CREATE NEW PERIODIC NOTIFICATION SUBSCRIPTION, RETURNING THE LOCATION OF CREATED RESOURCE (SECTION 5.6.5.2)..... 68

D.12 READ INDIVIDUAL NOTIFICATION SUBSCRIPTION (SECTION 5.7.3) 69

D.13 UPDATE INDIVIDUAL NOTIFICATION SUBSCRIPTION (SECTION 5.7.4) 69

D.14 READ ALL ACTIVE AREA(CIRCLE) NOTIFICATION SUBSCRIPTIONS (SECTION 5.8.3)..... 70

D.15 CREATE NEW NOTIFICATION SUBSCRIPTION (SECTION 5.8.5) 71

D.16 GET INDIVIDUAL NOTIFICATION SUBSCRIPTION (SECTION 5.9.3)..... 72

D.17 UPDATE SUBSCRIPTION FOR NOTIFICATION (SECTION 5.9.4) 72

D.18 DELETE A SUBSCRIPTION FOR AREA(CIRCLE) NOTIFICATION (SECTION 5.9.6)..... 73

D.19 READ DISTANCE NOTIFICATION SUBSCRIPTION (SECTION 5.10.3)..... 74

D.20 CREATE NEW DISTANCE NOTIFICATION (SECTION 5.10.5)..... 75

D.21 READ A SUBSCRIPTION FOR DISTANCE NOTIFICATION (SECTION 5.11.3) 76

D.22 UPDATE A DISTANCE NOTIFICATION SUBSCRIPTION (SECTION 5.11.4.1)..... 76

D.23 DELETE A DISTANCE NOTIFICATION SUBSCRIPTION (SECTION 5.11.6.1)..... 77

D.24 CIRCLE AREA NOTIFICATION – ONE TERMINAL (SECTION 5.12.5.1)..... 77

D.25 PERIODIC LOCATION NOTIFICATION – ONE TERMINAL (SECTION 5.12.5.2)..... 78

D.26 DISTANCE NOTIFICATION – ONE TERMINAL (SECTION 5.12.5.3) 79

D.27 FINAL PERIODIC LOCATION NOTIFICATION (SECTION 5.12.5.4)..... 79

D.28 SUBSCRIPTION CANCELLATION NOTIFICATION (SECTION 5.12.5.5) 80

APPENDIX E. PARLAY X OPERATIONS MAPPING (INFORMATIVE) 82

Figures

Figure 1 Resource structure defined by this specification..... 12

Figure 2 Location query 21

Figure 3 Distance from location query..... 22

Figure 4 Distance between two terminals query 22

Figure 5 Periodic location notification..... 23

Figure 6 Area (circle) location notification..... 25

Figure 7 Distance location notification..... 26

Tables

Table 1 Parlay X operations mapping 82

1. Scope

This specification defines a RESTful Terminal Location API using an HTTP protocol binding, based on the similar API defined in [3GPP 29.199-9].

2. References

2.1 Normative References

- [3GPP 29.199-9] 3rd Generation Partnership Project; Technical Specification Group Core Network and Terminals; Open Service Access (OSA); Parlay X Web Services; Part 9: Terminal Location (Release 7); 3GPP TS 29.199-9 [URL: http://www.3gpp.org/](http://www.3gpp.org/)
- [REST_TS_Common] “RESTful bindings for Parlay X Web Services – Common”, Open Mobile Alliance™, OMA-TS-ParlayREST_Common-V1, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [OMA_REST_TS_Common] “Common definitions and specifications for OMA REST interfaces”, Open Mobile Alliance™, OMA-TS-REST_Common-V1_0, URL: <http://www.openmobilealliance.org/>
- [RFC2119] “Key words for use in RFCs to Indicate Requirement Levels”, S. Bradner, March 1997, [URL:http://www.ietf.org/rfc/rfc2119.txt](http://www.ietf.org/rfc/rfc2119.txt)
- [RFC2616] “Hypertext Transfer Protocol -- HTTP/1.1”, R. Fielding et. al, January 1999, [URL:http://www.ietf.org/rfc/rfc2616.txt](http://www.ietf.org/rfc/rfc2616.txt)
- [RFC4627] “The application/json Media Type for JavaScript Object Notation (JSON)”, D. Crockford, July 2006, [URL:http://www.ietf.org/rfc/rfc4627.txt](http://www.ietf.org/rfc/rfc4627.txt)
- [SCRRULES] “SCR Rules and Procedures”, Open Mobile Alliance™, OMA-ORG-SCR_Rules_and_Procedures, [URL: http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [W3C-URLENC] W3C HTML 2.0 Specification, form-urlencoded Media Type, URL: http://www.w3.org/MarkUp/html-spec/html-spec_8.html#SEC8.2.1
- [XMLSchema1] W3C Recommendation, XML Schema Part 1: Structures Second Edition, URL: <http://www.w3.org/TR/xmlschema-1/>
- [XMLSchema2] W3C Recommendation, XML Schema Part 2: Datatypes Second Edition, URL: <http://www.w3.org/TR/xmlschema-2/>

2.2 Informative References

- [OMADICT] “Dictionary for OMA Specifications”, Version 2.8, Open Mobile Alliance™, OMA-ORG-Dictionary-V2_8, URL:<http://www.openmobilealliance.org/>
- [REST_WP] “White Paper on Guidelines for ParlayREST API specifications”, Open Mobile Alliance™, OMA-WP-Guidelines-for-ParlayREST-API-specifications, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)

3. Terminology and Conventions

3.1 Conventions

The key words “MUST”, “MUST NOT”, “REQUIRED”, “SHALL”, “SHALL NOT”, “SHOULD”, “SHOULD NOT”, “RECOMMENDED”, “MAY”, and “OPTIONAL” in this document are to be interpreted as described in [RFC2119].

All sections and appendixes, except “Scope” and “Introduction”, are normative, unless they are explicitly indicated to be informative.

3.2 Definitions

For the purpose of this TS, all definitions from the OMA Dictionary apply [OMADICT].

3.3 Abbreviations

API	Application Programming Interface
HTTP	HyperText Transfer Protocol
JSON	JavaScript Object Notation
MIME	Multipurpose Internet Mail Extensions
OMA	Open Mobile Alliance
REST	REpresentational State Transfer
SCR	Static Conformance Requirements
URI	Uniform Resource Identifier
URL	Uniform Resource Locator
XML	Extensible Markup Language

4. Introduction

The ParlayREST Technical Specification for Terminal Location contains the HTTP protocol binding for the Parlay X Terminal Location Web Services specification, using the REST architectural style. The specification provides resource definitions, the HTTP verbs applicable for each of these resources, and the element data structures, as well as support material including flow diagrams and examples using the various supported message body formats (i.e. XML and JSON).

4.1 Version 1.0

Version 1.0 of the Terminal Location ParlayREST API specification supports the following operations:

- Obtain the current terminal location
- Obtain the terminal distance from a given location
- Obtain the distance between two terminals
- Manage client-specific subscriptions to periodic notifications
- Manage client-specific subscriptions to area (circle) notifications
- Manage client-specific subscriptions to distance notifications

4.2 Version 1.1

Version 1.1 of the Terminal Location ParlayREST API specification is a maintenance release.

5. Terminal Location API definition

This section is organized to support a comprehensive understanding of the TerminalLocation API design. It specifies the definition of all resources, definition of all data structures, and definitions of all operations permitted on the specified resources.

Common data types, naming conventions, fault definitions and namespaces are defined in [OMA_REST_TS_Common] and [REST_TS_Common].

The remainder of this document is structured as follows:

Section 5 starts with a table listing all the resources (and their URL) used by this API, along with the data structure and the supported HTTP verbs (section 5.1). In addition, for each supported resource/verb combination, the table lists the Parlay X equivalent operation, where applicable. What follows are the data structures, divided by root elements and their child elements (section 5.2). A sample of typical use cases is included in section 5.3, described as high level flow diagrams.

The remaining subsections in section 5 contain the detailed specification for each of the resources. Each such subsection defines the resource, the request URI variables that are common for all HTTP commands, the possible HTTP response codes, and the supported HTTP verbs. For each supported HTTP verb, a description of the functionality is provided, along with an example of a request and an example of a response. For each unsupported HTTP verb, the returned HTTP error status is specified, as well as what should be returned in the Allow header.

All examples in section 5 use XML as the format for the message body. JSON examples are provided in Appendix D. Appendix B provides the Static Conformance Requirements (SCR).

For requests and responses that have a body, the following applies: in the requests received, the server SHALL support JSON and XML encoding of the parameters in the body, and MAY support www-form-urlencoded parameters in the body. The Server SHALL return either JSON or XML encoded parameters in the response body, according to the result of the content type negotiation as specified in [OMA_REST_TS_Common]. In notifications to the Client, the server SHALL use either XML or JSON encoding, depending on which format the client has specified in the related subscription.

Note: Throughout this document client and application can be used interchangeably.

5.1 Resource Summary

This section summarizes all the resources used by the TerminalLocation API.

The figure below visualizes the resource structure defined by this specification. Note that those nodes in the resource tree which have associated HTTP methods defined in this specification are depicted by solid boxes.




Figure 1 Resource structure defined by this specification

The following table gives a detailed overview of the resources defined in this specification, the data type of their representation and the allowed HTTP methods.

Purpose: poll terminal location and terminal distance

Resource (Purpose)	URL Base URL: http://{serverRoot}/{apiVersion}/location	Data Structures	HTTP verbs			
			GET	PUT	POST	DELETE
Terminal location	/queries/location?address={terminalId} or /queries/location?address={terminalId1}&address={terminalId2}	TerminalLocationList	return current location of the terminal or multiple terminals	no	no	no
Terminal distance	/queries/distance?address={terminalId}&latitude={lat}&longitude={lon} or /queries/distance?address={terminalId1}&address={terminalId2}	TerminalDistance	return current distance from terminal to the specified location or between two terminals	no	no	no

Purpose: location subscription

Resource (Purpose)	URL Base URL: http://{serverRoot}/{apiVersion}/location	Data Structures	HTTP verbs			
			GET	PUT	POST	DELETE
Periodic location notification subscriptions	/subscriptions/periodic	NotificationSubscriptionList (used for GET) PeriodicNotificationSubscription (used for POST) common:ResourceReference (optional alternative for POST response)	return all subscriptions	no	create new subscription	no
Individual periodic location notification subscription	/subscriptions/periodic/{subscriptionId}	PeriodicNotificationSubscription	return one subscription	update subscription	no	delete one subscription

Resource (Purpose)	URL Base URL: http://{serverRoot}/{apiVersion}/location	Data Structures	HTTP verbs			
			GET	PUT	POST	DELETE
Area (circle) notification subscriptions	/subscriptions/area/circle	NotificationSubscriptionList (used for GET) CircleNotificationSubscription (used for POST) common:ResourceReference (optional alternative for POST response)	return all subscriptions	no	create new subscription	no
Area (circle) individual notification subscription	/subscriptions/area/circle/{subscriptionId}	CircleNotificationSubscription	return one subscription	update subscription	no	delete one subscription
Distance notification subscriptions	/subscriptions/distance	NotificationSubscriptionList (used for GET) DistanceNotificationSubscription (used for POST) common:ResourceReference (optional alternative for POST response)	return all subscriptions	no	create new subscription	no
Distance individual notification subscription	/subscriptions/distance/{subscriptionId}	DistanceNotificationSubscription	return one subscription	update subscription	no	delete one subscription

Purpose: client notification

Resource (Purpose)	URL <provided by the client>	Data Structures	HTTP verbs			
			GET	PUT	POST	DELETE
Client notification callback resource	{provided by client}	SubscriptionNotification SubscriptionCancellationNotification	no	no	notification on location changes	no

5.2 Terminal Location Data Structures

The namespace for the Terminal Location data types is:

urn:oma.xml:rest:terminallocation:1

The 'xsd' namespace is used in the present document to refer to the XML Schema data types defined in XML Schema [XMLSchema1, XMLSchema2]. The 'common' namespace is used in the present document to refer to the data types defined in [REST_TS_Common]. The use of the names 'xsd' and 'common' is not semantically significant.

5.2.1 Type: TerminalLocation

A type containing device address, retrieval status and location information. As this can be related to a query of a group of terminal devices, the locationRetrievalStatus element is used to indicate whether the information for the device was retrieved or not, or if an error occurred

Element	Type	Optional	Description
address	xsd:anyURI	No	Address of the terminal device to which the location information applies
locationRetrievalStatus	common:RetrievalStatus	No	Status of retrieval for this terminal device address
currentLocation	LocationInfo	Yes	Location of terminal. It is only provided if locationRetrievalStatus=Retrieved.
errorInformation	common:ServiceError	Yes	If locationRetrievalStatus=Error, this is the reason for the error.

5.2.2 Type: TerminalLocationList

A type containing a list of terminal locations.

Element	Type	Optional	Description
terminalLocation	TerminalLocation [1..unbounded]	No	Collection of the terminal locations

A root element named terminalLocationList of type TerminalLocationList is allowed in request and/or response bodies.

5.2.3 Type: SubscriptionNotification

A type containing the notification subscription.

Element	Type	Optional	Description
callbackData	xsd:string	Yes	CallbackData if passed by the application in the receiptRequest element during the associated subscription operation. See [REST_TS_Common].
terminalLocation	TerminalLocation [1..unbounded]	No	Collection of the terminal locations
enteringLeavingCriteria	EnteringLeavingCriteria	Yes	Indicates whether the notification was caused by the terminal entering or leaving the target area. (This part is provided for geographical notifications)
distanceCriteria	DistanceCriteria	Yes	Indicates which distance criteria that caused the notification. (This part is provided for distance notifications)
isFinalNotification	xsd:boolean	Yes	Will be set to true if it is a final notification about location change
link	common:Link [0..unbounded]	Yes	Link to other resources that are in relationship with the resource

A root element named subscriptionNotification of type SubscriptionNotification is allowed in request and/or response bodies.

5.2.4 Type: SubscriptionCancellationNotification

A type containing the subscription cancellation notification

Element	Type	Optional	Description
callbackData	xsd:string	Yes	CallbackData if passed by the application in the receiptRequest element during the associated subscription operation. See [REST_TS_Common].
address	xsd:anyURI	Yes	Address of terminal if the error applies to an individual terminal, or not specified if it applies to the whole notification.
reason	common:ServiceError	No	Reason notification is being discontinued.
link	common:Link[0..unbounded]	Yes	Link to other resources that are in relationship with the resource

A root element named subscriptionCancellationNotification of type SubscriptionCancellationNotification is allowed in request and/or response bodies.

5.2.5 Type: TerminalDistance

A type containing information about the distance from a terminal to a location or between two terminals, in addition the accuracy and timestamp of the information is provided.

Element	Type	Optional	Description
distance	xsd:int	No	Distance from terminal to a location or between two terminals specified in meters
accuracy	xsd:int	Yes	Accuracy of the provided distance in meters
timestamp	xsd:dateTime	Yes	Date and time that location from which distance is calculated was collected

A root element named terminalDistance of type TerminalDistance is allowed in request and/or response bodies.

5.2.6 Type: LocationInfo

A type containing location information with latitude, longitude and altitude, in addition the accuracy and a timestamp of the information is provided.

Element	Type	Optional	Description
latitude	xsd:float	No	Location latitude
longitude	xsd:float	No	Location longitude
altitude	xsd:float	Yes	Location altitude
accuracy	xsd:int	No	Accuracy of location provided in meters
timestamp	xsd:dateTime	No	Date and time that location was collected

A root element named locationInfo of type LocationInfo is allowed in request and/or response bodies.

5.2.7 Type: NotificationSubscriptionList

A type containing the different subscriptions.

Element	Type	Optional	Description
circleNotificationSubscription	CircleNotificationSubscription [0..unbound]	Yes	Collection of CircleNotificationSubscription elements
periodicNotificationSubscription	PeriodicNotificationSubscription	Yes	Collection of PeriodicNotificationSubscription

Element	Type	Optional	Description
	[0..unbound]		elements
distanceNotificationSubscription	DistanceNotificationSubscription [0..unbound]	Yes	Collection of DistanceNotificationSubscription elements

A root element named notificationSubscriptionList of type NotificationSubscriptionList is allowed in request and/or response bodies.

5.2.8 Type: CircleNotificationSubscription

A type containing data for notification, when the area is defined as a circle.

Element	Type	Optional	Description
clientCorrelator	xsd:string	Yes	A correlator that the client MAY use to tag this particular resource representation during a request to create a resource on the server. In case the field is present, the server SHALL not alter its value, and SHALL provide it as part of the representation of this resource. In case the field is not present, the server SHALL NOT generate it.
resourceURL	xsd:anyURI	Yes	Self referring URL. SHALL NOT be included in POST requests, MUST be included in responses to any HTTP method that returns an entity body, and in PUT requests.
link	common:Link[0..unbounded]	Yes	Link to other resources that are in relationship with the resource
callbackReference	common:CallbackReference	No	Notification callback definition
requester	xsd:anyURI	Yes	It identifies the entity that is requesting the information. The application invokes this operation on behalf of this entity. However, it does not imply that the application has authenticated the requester. If this part is not present, the requesting entity is the application itself. If this part is present, and the requester is not authorized to retrieve location info, a policy exception will be returned.
address	xsd:anyURI [1..unbounded]	No	Addresses of terminals to monitor. Reference to the group could be provided here if supported by implementation
latitude	xsd:float	No	Latitude of center point
longitude	xsd:float	No	Longitude of center point
radius	xsd:float	No	Radius of circle around center point in meters
trackingAccuracy	xsd:float	No	Number of meters of acceptable error in tracking distance
enteringLeavingCriteria	EnteringLeavingCriteria	No	Indicates whether the notification should occur when the terminal enters or leaves the target area
checkImmediate	xsd:boolean	No	Check location immediately after establishing notification

Element	Type	Optional	Description
frequency	xsd:int	No	Maximum frequency (in seconds) of notifications per subscriber (can also be considered minimum time between notifications)
duration	xsd:int	Yes	Period of time (in seconds) notifications are provided for. If set to "0" (zero), a default duration time, which is specified by the service policy, will be used. If the parameter is omitted, the notifications will continue until the maximum duration time, which is specified by the service policy, unless the notifications are stopped by deletion of subscription for notifications
count	xsd:int	Yes	Maximum number of notifications per individual address. For no maximum, either do not specify this part or specify a value of zero. Default value is 0.

A root element named circleNotificationSubscription of type CircleNotificationSubscription is allowed in request and/or response bodies.

Note that the clientCorrelator is used for purposes of error recovery as specified in of [REST_TS_Common], and internal client purposes. The server is NOT REQUIRED to use the clientCorrelator value in any form in the creation of the URL of the resource. [REST_TS_Common] provides a recommendation regarding the generation of the value of this field.

5.2.9 Type: PeriodicNotificationSubscription

A type containing data for periodic subscription.

Element	Type	Optional	Description
clientCorrelator	xsd:string	Yes	A correlator that the client MAY use to tag this particular resource representation during a request to create a resource on the server. In case the field is present, the server SHALL not alter its value, and SHALL provide it as part of the representation of this resource. In case the field is not present, the server SHALL NOT generate it.
resourceURL	xsd:anyURI	Yes	Self referring URL. SHALL NOT be included in POST requests, MUST be included in responses to any HTTP method that returns an entity body, and in PUT requests.
link	common:Link[0..unbounded]	Yes	Link to other resources that are in relationship with the resource
callbackReference	common:CallbackReference	No	Notification callback definition
requester	xsd:anyURI	Yes	It identifies the entity that is requesting the information. The application invokes this operation on behalf of this entity. However, it does not imply that the application has authenticated the requester. If this part is not present, the requesting entity is the application itself. If this part is present, and the requester is not authorized to retrieve location info, a policy exception will be returned.
address	xsd:anyURI [1..unbounded]	No	Addresses of terminals to monitor

Element	Type	Optional	Description
requestedAccuracy	xsd:int	No	Accuracy of the provided distance in meters
frequency	xsd:int	No	Maximum frequency (in seconds) of notifications (can also be considered minimum time between notifications)
duration	xsd:int	Yes	Period of time (in seconds) notifications are provided for. If set to "0" (zero), a default duration time, which is specified by the service policy, will be used. If the parameter is omitted, the notifications will continue until the maximum duration time, which is specified by the service policy, unless the notifications are stopped by deletion of subscription for notifications

A root element named periodicNotificationSubscription of type PeriodicNotificationSubscription is allowed in request and/or response bodies.

Note that the clientCorrelator is used for purposes of error recovery as specified in [REST_TS_Common], and internal client purposes. The server is NOT REQUIRED to use the clientCorrelator value in any form in the creation of the URL of the resource. [REST_TS_Common] provides a recommendation regarding the generation of the value of this field.

5.2.10 Type: DistanceNotificationSubscription

A type containing data for distance subscription, with reference to other devices.

Element	Type	Optional	Description
clientCorrelator	xsd:string	Yes	A correlator that the client MAY use to tag this particular resource representation during a request to create a resource on the server. In case the field is present, the server SHALL not alter its value, and SHALL provide it as part of the representation of this resource. In case the field is not present, the server SHALL NOT generate it.
resourceURL	xsd:anyURI	Yes	Self referring URL. SHALL NOT be included in POST requests, MUST be included in responses to any HTTP method that returns an entity body, and in PUT requests.
link	common:Link [0..unbounded]	Yes	Link to other resources that are in relationship with the resource
callbackReference	common:CallbackReference	No	Notification callback definition
requester	xsd:anyURI	Yes	It identifies the entity that is requesting the information. The application invokes this operation on behalf of this entity. However, it does not imply that the application has authenticated the requester. If this part is not present, the requesting entity is the application itself. If this part is present, and the requester is not authorized to retrieve location info, a policy exception will be returned.
referencesAddress	xsd:anyURI [0..unbounded]	Yes	If specified, indicates address of each device that will be used as reference devices from which the distances towards monitored devices indicated in the Addresses will be monitored.

Element	Type	Optional	Description
monitoredAddress	xsd:anyURI [1..unbounded]	No	Contains addresses of devices to monitor. If the ReferenceAddress is specified, then the distance between each monitored device and reference device(s) will be monitored. If the ReferenceAddress is not present, then the distance between each of the monitored devices will be monitored. Note that in that case there must be at least two addresses specified here.
distance	xsd:float	No	Distance between devices that shall be monitored
trackingAccuracy	xsd:float	No	Number of meters of acceptable error in tracking distance
criteria	DistanceCriteria	No	Indicates whether the notification should occur when the geographical relationship between monitored and referenced devices changes.
checkImmediate	xsd:boolean	No	Check location immediately after establishing notification
frequency	xsd:int	No	Maximum frequency (in seconds) of notifications per subscriber (can also be considered minimum time between notifications)
duration	xsd:int	Yes	Period of time (in seconds) notifications are provided for. If set to "0" (zero), a default duration time, which is specified by the service policy, will be used. If the parameter is omitted, the notifications will continue until the maximum duration time, which is specified by the service policy, unless the notifications are stopped by deletion of subscription for notifications
count	xsd:int	Yes	Maximum number of notifications per individual address. For no maximum, either do not specify this part or specify a value of zero. Default value is 0.

A root element named distanceNotificationSubscription of type DistanceNotificationSubscription is allowed in request and/or response bodies.

Note that the clientCorrelator is used for purposes of error recovery as specified in [REST_TS_Common], and internal client purposes. The server is NOT REQUIRED to use the clientCorrelator value in any form in the creation of the URL of the resource. [REST_TS_Common] provides a recommendation regarding the generation of the value of this field.

5.2.11 Enumeration: EnteringLeavingCriteria

An enumeration, defining the direction of a terminal.

Enumeration	Description
Entering	Terminal is entering an area
Leaving	Terminal is leaving an area

5.2.12 Void

5.2.13 Enumeration: DistanceCriteria

An enumeration, defining the distance criteria between devices.

Enumeration	Description
AllWithinDistance	All monitored devices are within the specified distance
AnyWithinDistance	Any of monitored devices gets within the specified distance
AllBeyondDistance	All monitored devices are beyond the specified distance
AnyBeyondDistance	Any of monitored devices gets beyond the specified distance

5.2.14 Enumeration: DelayTolerance

An enumeration for what delay is acceptable.

Enumeration	Description
NoDelay	The server should immediately return any location estimate that it currently has. If no estimate is available, the server shall return the failure indication and may optionally initiate procedures to obtain a location estimate (e.g. to be available for a later request).
LowDelay	Fulfilment of the response time requirement takes precedence over fulfilment of the accuracy requirement. The server shall return any current location estimate with minimum delay. The server shall attempt to fulfil any accuracy requirement, but in doing so shall not add any additional delay (i.e. a quick response with lower accuracy is more desirable than waiting for a more accurate response).
DelayTolerant	Fulfilment of the accuracy requirement takes precedence over fulfilment of the response time requirement. If necessary, the server should delay providing a response until the accuracy requirement of the requesting application is met. The server shall obtain a current location with regard to fulfilling the accuracy requirement.

5.2.15 Values of the Link “rel” attribute

The “rel” attribute of the Link element is a free string set by the server implementation, to indicate a relationship between the current resource and an external resource. The following are possible strings (list is non-exhaustive, and can be extended):

- TerminalLocationList
- TerminalDistance
- LocationInfo
- NotificationPeriodicSubscriptionList
- NotificationCircleSubscriptionList
- NotificationDistanceSubscriptionList
- SubscriptionNotification
- SubscriptionCancellationNotification
- CircleNotificationSubscription
- PeriodicNotificationSubscription
- DistanceNotificationSubscription

These values indicate the kind of resource that the link points to.

5.3 Sequence diagrams

5.3.1 Location query

This figure below shows a scenario to return location for single terminal or group of terminals.

The resource:

- To get the location information for a single terminal or a group of terminals, read the resource below with the URL parameters terminal address or addresses

http://{serverRoot}/{apiVersion}/location/queries/location




Figure 2 Location query

Outline of flow:

1. An application requests single or multiples terminal location with Request URL parameters such as terminal address or addresses (i.e. group) and desired accuracy using **GET** and receives the terminal location information.

5.3.2 Distance from location query

This figure below shows a scenario to return the distance of a terminal from a location.

The resource:

To get the distance between a terminal and a geographical location, read the resource below, while passing appropriate query parameters

http://{serverRoot}/{apiVersion}/location/queries/distance




Figure 3 Distance from location query

Outline of flow:

1. An application requests the distance between a terminal and a geographical location by using GET with resource URL and request URL parameters such as terminal address and longitude/latitude of the geographical location. It receives the terminal distance information.

5.3.3 Distance between two terminals query

This figure below shows a scenario to return the distance between two terminals.

The resource:

- To get the distance between two terminals, read the resource below, while passing appropriate query parameters **http://{serverRoot}/{apiVersion}/location/queries/distance**




Figure 4 Distance between two terminals query

Outline of flow:

1. An application requests the distance between two terminals by using GET with the resource URL and providing two different terminal addresses as Request URL parameters. It receives the terminal distance information.

5.3.4 Periodic location notification

This figure below shows a scenario to control subscriptions for periodic notifications about terminal location for a particular client.

The resource:

- To start subscription to periodic notifications about terminal location for a particular client, create new resource under
http://{serverRoot}/{apiVersion}/location/subscriptions/periodic
- To update or delete an individual subscription for periodic notifications about terminal location for a particular client, use the resource
http://{serverRoot}/{apiVersion}/location/subscriptions/periodic/{subscriptionId}




Figure 5 Periodic location notification

Outline of flow:

1. An application creates a new periodic notification subscription for the particular client by using POST and receives the resulting resource URL containing the subscriptionId.
2. When the set up timer expires, the REST service on the server notifies the application of current location information using POST to the application supplied notifyURL. This is repeated each time interval.
3. An application updates an individual subscription for periodic location notification for the particular client by using PUT to resource URL containing the subscriptionId.
4. When the set up timer expires, the REST service on the server notifies the application of current location information using POST to the application supplied notifyURL. This is repeated each time interval.
5. An application deletes a subscription for periodic location notification and stop notifications for a particular client by using DELETE to resource URL containing the subscriptionId.

5.3.5 Area (circle) location notification

This figure below shows a scenario to control subscriptions for notification about terminal movement in relation to the geographic area (circle), crossing in and out, for a particular client.

The resource:

- To start subscription to notifications about terminal movements in relation to the geographic area (circle), crossing in and out, for a particular client, create new resource under
http://{server root}/{api version}/location/subscriptions/area/circle
- To update or delete an individual subscription for notifications about terminal movements in relation to the geographic area (circle), crossing in and out, for a particular client, use the resource
http://{server root}/{api version}/location/subscriptions/area/circle/{subscriptionId}




Figure 6 Area (circle) location notification

Outline of flow:

1. An application creates a new area (circle) notification subscription for the particular client by using POST and receives the resulting resource URL containing the subscriptionId.
2. When the terminal crosses in or out the specified area (circle) the REST service on the server notifies the application using POST to the application supplied notifyURL.
3. An application updates an individual subscription for area (circle) notification for the particular client by using PUT to resource URL containing the subscriptionId.
4. When the terminal crosses in or out the updated specified area (circle) the REST service on the server notifies the application using POST to the application supplied notifyURL.
5. An application deletes a subscription for area (circle) notification and stop notifications for the particular client by using DELETE to resource URL containing the subscriptionId.

5.3.6 Distance location notification

This figure below shows a scenario to control subscriptions for notifications about changes in the geographical relationships between terminals (a client has passed a border by either approaching or leaving another referenced client).

The resource and operation used

- To start subscription to notifications about changes in the geographical relationships between terminals, create new resource under

http://{serverRoot}/{apiVersion}/location/subscriptions/distance

- To update or delete an individual subscription for notifications about changes in the geographical relationships between terminals for a particular client, use the resource

http://{serverRoot}/{apiVersion}/location/subscriptions/distance/{subscriptionId}




Figure 7 Distance location notification

Outline of flow:

1. An application creates a new distance notification subscription for the particular client by using POST and receives the resulting resource URL containing the subscriptionId.
2. When a terminal passes the border by either approaching or leaving the referenced terminal, the REST service on the server notifies the application by using POST to the application supplied notifyURL.
3. An application updates an individual subscription for distance notification for the particular terminal by using PUT to resource URL containing the subscriptionId.

4. When a terminal passes the border by either approaching or leaving the referenced terminal, the REST service on the server notifies the application by using POST to the application supplied notifyURL.
5. An application deletes a subscription for distance notification and stop notifications for the particular client by using DELETE to resource URL containing the subscriptionId.

5.4 Resource: Terminal Location

The resource used is:

http://{serverRoot}/{apiVersion}/location/queries/location

This resource is used to return location for single terminal or group of terminals.

5.4.1 Request URI variables

The following request URI variables are common for all HTTP commands:

Name	Description
serverRoot	server base url: hostname+port+base path. Example: http://example.com/exampleAPI
apiVersion	version of the ParlayREST API client wants to use (e.g. 1 for version 1.x)

5.4.2 Response codes

5.4.2.1 HTTP Response Codes

For HTTP response codes, see [OMA_REST_TS_Common].

5.4.2.2 Exception fault codes

For Policy Exception and Service Exception fault codes applicable to Terminal Location, see [3GPP 29.199-9].

5.4.3 GET

This operation is used to read terminal location information. If the requester parameter is present and the requester is not authorized, PolicyException (POL0002) will be returned.

Request URL parameters are:

Name	Type/value	Optional	Description
requester	xsd:anyURI	Yes	It identifies the entity that is requesting the information. The application invokes this operation on behalf of this entity. However, it does not imply that the application has authenticated the requester. If this part is not present, the requesting entity is the application itself. If this part is present, and the requester is not authorized to retrieve location info, a policy exception will be returned.

address	xsd:anyURI[1..unbounded]	No	Address(es) of the terminal device(s) for which the location information is requested
requestedAccuracy	xsd:int	No	Accuracy of location information requested
acceptableAccuracy	xsd:int	No	Accuracy that is acceptable for a response
maximumAge	xsd:int	Yes	Maximum acceptable age (in seconds) of the location information that is returned
responseTime	xsd:int	Yes	Indicates the maximum time (in seconds) that the application can accept to wait for a response
Tolerance	DelayTolerance	No	Indicates the priority of response time versus accuracy

5.4.3.1 Example 1: (one terminal address) (Informative)

5.4.3.1.1 Request

```
GET /exampleAPI/1/location/queries/location?address=tel%3A%2B1-555-0100&tolerance=LowDelay&requestedAccuracy=1000
&acceptableAccuracy=1000 &maximumAge=180&responseTime=300 HTTP/1.1
Accept: application/xml
Host: example.com
```

5.4.3.1.2 Response

```
HTTP/1.1 200 OK
Content-Type: application/xml
Content-Length: nnnn
Date: Thu, 04 Jun 2009 02:51:59 GMT

<?xml version="1.0" encoding="UTF-8"?>
<tl:terminalLocationList xmlns:tl="urn:oma:xml:rest:terminallocation:1">
  <terminalLocation>
    <address>tel:+1-555-0100</address>
    <locationRetrievalStatus>Retrieved</locationRetrievalStatus>
    <currentLocation>
      <latitude>-80.86302</latitude>
      <longitude>41.277306</longitude>
      <altitude>1001.0</altitude>
      <accuracy>100</accuracy>
      <timestamp>2009-06-03T00:27:23.000Z</timestamp>
    </currentLocation>
  </terminalLocation>
</tl:terminalLocationList>
```

5.4.3.2 Example 2: (multiple terminal addresses) (Informative)

5.4.3.2.1 Request

```
GET /exampleAPI/1/location/queries/location?address=tel%3A%2B1-555-0100&address=tel%3A%2B1-555-0101&Tolerance=
```

```
LowDelay&requestedAccuracy=1000&acceptableAccuracy=1000 HTTP/1.1
Accept: application/xml
Host: example.com
```

5.4.3.2.2 Response

```
HTTP/1.1 200 OK
Content-Type: application/xml
Content-Length: nnnn
Date: Thu, 04 Jun 2009 02:51:59 GMT

<?xml version="1.0" encoding="UTF-8"?>
<tl:terminalLocationList
  xmlns:tl="urn:oma:xml:rest:terminallocation:1">
  <terminalLocation>
    <address>tel:+1-555-0100</address>
    <locationRetrievalStatus>Retrieved</locationRetrievalStatus>
    <currentLocation>
      <latitude>-80.86302</latitude>
      <longitude>41.277306</longitude>
      <altitude>1001.0</altitude>
      <accuracy>100</accuracy>
      <timestamp>2009-06-03T00:27:23.000Z</timestamp>
    </currentLocation>
  </terminalLocation>
  <terminalLocation>
    <address>tel:1-555-0101</address>
    <locationRetrievalStatus>Error</locationRetrievalStatus>
    <errorInformation>
      <messageId>SVC0001</messageId>
      <text>A service error occurred. %1 %2</text>
      <variables>Location information is not available for</variables>
      <variables>tel:1-555-0101</variables>
    </errorInformation>
  </terminalLocation>
</tl:terminalLocationList>
```

5.4.3.3 Example 3: (location with unsupported accuracy) (Informative)

5.4.3.3.1 Request

```
GET /exampleAPI/1/location/queries/location?address=tel%3A%2B1-555-0100&tolerance=LowDelay&requestedAccuracy=10&
acceptableAccuracy=100 HTTP/1.1
Accept: application/xml
Host: example.com
```

5.4.3.3.2 Response

```
HTTP/1.1 400 Bad Request
Content-Type: application/xml
Content-Length: nnnn
Date: Thu, 04 Jun 2009 02:51:59 GMT
```

```
<?xml version="1.0" encoding="UTF-8"?>
<common:requestError xmlns:common="urn:oma:xml:rest:common:1">
<link rel="TerminalLocationList" href="http://example.com/exampleAPI/1/location/queries/location"/>
  <policyException>
    <messageId>POL0230</messageId>
    <text>The requested accuracy %1 is not supported by the policy</text>
    <variables>10</variables>
  </policyException>
</common:requestError>
```

5.4.3.4 Example 4: (unauthorized requester)

(Informative)

5.4.3.4.1 Request

```
GET /exampleAPI/1/location/queries/location?requester=tel%3A%2B1-555-0102&address=tel%3A%2B1-555-0100&tolerance=LowDelay&requestedAccuracy=10&acceptableAccuracy=100 HTTP/1.1
Accept: application/xml
Host: example.com
```

5.4.3.4.2 Response

```
HTTP/1.1 400 Bad Request
Content-Type: application/xml
Content-Length: nnnn
Date: Thu, 04 Jun 2009 02:51:59 GMT
```

```
<?xml version="1.0" encoding="UTF-8"?>
<common:requestError xmlns:common="urn:oma:xml:rest:common:1">
  <policyException>
    <messageId>POL0002</messageId>
    <text>Privacy error.</text>
  </policyException>
</common:requestError>
```

5.4.4 PUT

Method not supported by the resource. The returned HTTP error status is 405. The server should also include the 'Allow: GET' field in the response as per section 14.7 of [RFC 2616].

5.4.5 POST

Method not supported by the resource. The returned HTTP error status is 405. The server should also include the 'Allow: GET' field in the response as per section 14.7 of [RFC 2616].

5.4.6 DELETE

Method not supported by the resource. The returned HTTP error status is 405. The server should also include the 'Allow: GET' field in the response as per section 14.7 of [RFC 2616].

5.5 Resource: Terminal distance

The resource used is:

http://{serverRoot}/{apiVersion}/location/queries/distance

This resource is used to return distance between either:

- A terminal and a geographical location.
- Two terminals

5.5.1 Request URI variables

The following request URI variables are common for all HTTP commands:

Name	Description
serverRoot	server base url: hostname+port+base path. Example: http://example.com/exampleAPI
apiVersion	version of the ParlayREST API client wants to use (e.g. 1 for version 1.x)

5.5.2 Response codes

5.5.2.1 HTTP Response Codes

For HTTP response codes, see [OMA_REST_TS_Common].

5.5.2.2 Exception fault codes

For Policy Exception and Service Exception fault codes applicable to Terminal Location, see [3GPP 29.199-9].

5.5.3 GET

This operation is used to return the distance between either:

- A terminal and a geographical location.
- Two terminals

If the requester parameter is present and the requester is not authorized, PolicyException (POL0002) will be returned.

Request URL parameters are:

Name	Type/value	Optional	Description
requester	xsd:anyURI	Yes	It identifies the entity that is requesting the information. The application invokes this operation on behalf of this entity. However, it does not imply that the application has authenticated the requester. If this part is not present, the requesting entity is the application itself. If this part is present, and the requester is not authorized to retrieve location info, a policy exception

			will be returned.
address	xsd:anyURI[1..2]	No	One or two terminal addresses of terminal to check. The second “address” parameter SHALL NOT be used when the distance between a terminal and a location is requested.
latitude	xsd:float	Yes	Latitude of the location to measure from. SHALL NOT be used when the distance between two terminals is requested.
longitude	xsd:float	Yes	Longitude of the location to measure from. SHALL NOT be used when the distance between two terminals is requested.

5.5.3.1 Example 1: (distance between a terminal and a location) (Informative)

5.5.3.1.1 Request

This example shows also an alternative way to indicate desired content type in response from the server, by using URL query parameter “?resFormat” which is described in [OMA_REST_TS_Common].

```
GET /exampleAPI/1/location/queries/distance?resFormat=XML&address=tel%3A%2B1-555-0101&latitude=50&longitude=125 HTTP/1.1
Host: example.com
```

5.5.3.1.2 Response:

```
HTTP/1.1 200 OK
Content-Type: application/xml
Content-Length: nnnn
Date: Thu, 04 Jun 2009 02:51:59 GMT

<?xml version="1.0" encoding="UTF-8"?>
<tl:terminalDistance xmlns:tl="urn:oma:xml:rest:terminallocation:1">
  <distance>100</distance>
</tl:terminalDistance>
```

5.5.3.2 Example 2: (distance between two terminals) (Informative)

5.5.3.2.1 Request

```
GET /exampleAPI/1/location/queries/distance?address=tel%3A%2B1-555-0101& address=tel%3A%2B1-555-0102 HTTP/1.1
Accept: application/xml
Host: example.com
```

5.5.3.2.2 Response

```
HTTP/1.1 200 OK
Content-Type: application/xml
Content-Length: nnnn
```


Date: Thu, 04 Jun 2009 02:51:59 GMT

```
<?xml version="1.0" encoding="UTF-8"?>
<tl:terminalDistance xmlns:tl="urn:oma:xml:rest:terminallocation:1">
  <distance>100</distance>
</tl:terminalDistance>
```

5.5.3.3 Example 3: (invalid address)

(Informative)

5.5.3.3.1 Request

```
GET /exampleAPI/1/location/queries/distance?address=tel%3A%2B1-555-0199&latitude=50&longitude=125 HTTP/1.1
Accept: application/xml
Host: example.com
```

5.5.3.3.2 Response

```
HTTP/1.1 200 OK
Content-Type: application/xml
Content-Length: nnnn
Date: Thu, 04 Jun 2009 02:51:59 GMT
```

```
<?xml version="1.0" encoding="UTF-8"?>
<common:requestError xmlns:common="urn:oma:xml:rest:common:1">
  <link rel="TerminalDistance" href="http://example.com/exampleAPI/1/location/queries/distance"/>
  <serviceException>
    <messageId>SVC0002</messageId>
    <text> Invalid input value for message part %1</text>
    <variables>tel:+1-555-0199</variables>
  </serviceException>
</common:requestError>
```

5.5.3.4 Example 4: (too many addresses)

(Informative)

5.5.3.4.1 Request

```
GET /exampleAPI/1/location/queries/distance?address=tel%3A%2B1-555-0199&address=tel%3A%2B1-555-0198&address=tel%3A%2B1-555-0101 HTTP/1.1
Accept: application/xml
Host: example.com
```

5.5.3.4.2 Response

```
HTTP/1.1 400 Bad Request
Content-Type: application/xml
Content-Length: nnnn
Date: Thu, 04 Jun 2009 02:51:59 GMT
```

```
<?xml version="1.0" encoding="UTF-8"?>
<common:requestError xmlns:common="urn:oma:xml:rest:common:1">
  <link rel="TerminalDistance" href="http://example.com/exampleAPI/1/location/queries/distance"/>
  <policyException>
    <messageId>POL0003</messageId>
    <text>Too many addresses specified in message part %1</text>
    <variables>addresses</variables>
  </policyException>
</common:requestError>
```

5.5.4 PUT

Method not supported by the resource. The returned HTTP error status is 405. The server should also include the 'Allow: GET' field in the response as per section 14.7 of [RFC 2616].

5.5.5 POST

Method not supported by the resource. The returned HTTP error status is 405. The server should also include the 'Allow: GET' field in the response as per section 14.7 of [RFC 2616].

5.5.6 DELETE

Method not supported by the resource. The returned HTTP error status is 405. The server should also include the 'Allow: GET' field in the response as per section 14.7 of [RFC 2616].

5.6 Resource: Periodic location notification subscriptions

The resource used is:

http://{serverRoot}/{apiVersion}/location/subscriptions/periodic

This resource is used to control subscriptions for periodic location notification for a particular client.

5.6.1 Request URI variables

The following request URI variables are common for all HTTP commands:

Name	Description
serverRoot	server base url: hostname+port+base path. Example: http://example.com/exampleAPI
apiVersion	version of the ParlayREST API client wants to use (e.g. 1 for version 1.x)

5.6.2 Response codes

5.6.2.1 HTTP Response Codes

For HTTP response codes, see [OMA_REST_TS_Common].

5.6.2.2 Exception fault codes

For Policy Exception and Service Exception fault codes applicable to Terminal Location, see [3GPP 29.199-9].

5.6.3 GET

Read all active subscriptions for periodic location notifications for the particular client.

No URL parameters.

5.6.3.1 Example

(Informative)

5.6.3.1.1 Request

```
GET /exampleAPI/1/location/subscriptions/periodic HTTP/1.1
Accept: application/xml
Host: example.com
```

5.6.3.1.2 Response

```
HTTP/1.1 200 OK
Content-Type: application/xml
Date: Thu, 04 Jun 2009 02:51:59 GMT

<?xml version="1.0" encoding="UTF-8"?>
<tl:notificationSubscriptionList xmlns:tl="urn:oma:xml:rest:terminallocation:1">
  <periodicNotificationSubscription>
    <clientCorrelator>0001</clientCorrelator>
    <resourceURL>http://example.com/exampleAPI/1/location/subscriptions/periodic/tel:+1-555-0101</resourceURL>
    <callbackReference>
      <notifyURL>http://application.example.com/notifications/LocationNotification</notifyURL>
      <callbackData>1234</callbackData>
    </callbackReference>
    <address>tel:+1-555-0100</address>
    <requestedAccuracy>10</requestedAccuracy>
    <frequency>10 </frequency>
  </periodicNotificationSubscription>
  <periodicNotificationSubscription>
    <clientCorrelator>0002</clientCorrelator>
    <resourceURL>http://example.com/exampleAPI/1/location/subscriptions/periodic/tel:+1-555-0102</resourceURL>
    <callbackReference>
      <notifyURL>
        http://application.example.com/notifications/LocationNotification
      </notifyURL>
      <callbackData>5678</callbackData>
    </callbackReference>
    <address>tel:+1-555-0100</address>
    <address>tel:+1-555-0101</address>
    <requestedAccuracy>10</requestedAccuracy>
    <frequency>10</frequency>
  </periodicNotificationSubscription>
</tl:notificationSubscriptionList>
```

5.6.4 PUT

Method not supported by the resource. The returned HTTP error status is 405. The server should also include the 'Allow: GET, POST' field in the response as per section 14.7 of [RFC 2616].

5.6.5 POST

This operation is used to create a new periodic location notification subscription for the particular client.

If the requester parameter is present and the requester is not authorized, PolicyException (POL0002) will be returned.

Note: server implementation may use clientCorrelator value, if provided by client, as {subscriptionId}. Otherwise, sequence number should be generated for {subscriptionId}. This is to make sure that client can have a stable and predictable URL for online subscriptions.

5.6.5.1 Example 1: returning a representation of created resource (Informative)

5.6.5.1.1 Request

```
POST /exampleAPI/1/location/subscriptions/periodic HTTP/1.1
Content-Type: application/xml
Accept: application/xml
Host: example.com
Content-Length: nnnn

<?xml version="1.0" encoding="UTF-8"?>
<tl:periodicNotificationSubscription xmlns:tl="urn:oma:xml:rest:terminallocation:1">
  <clientCorrelator>0001</clientCorrelator>
  <callbackReference>
    <notifyURL>http://application.example.com/notifications/LocationNotification</notifyURL>
    <callbackData>1234</callbackData>
  </callbackReference>
  <address>tel:+1-555-0100</address>
  <requestedAccuracy>10</requestedAccuracy>
  <frequency>10</frequency>
</tl:periodicNotificationSubscription>
```

5.6.5.1.2 Response

```
HTTP/1.1 201 Created
Content-Type: application/xml
Location: http://example.com/exampleAPI/1/location/subscriptions/periodic/tel:+1-555-0100
Date: Thu, 04 Jun 2009 02:51:59 GMT

<?xml version="1.0" encoding="UTF-8"?>
<tl:periodicNotificationSubscription xmlns:tl="urn:oma:xml:rest:terminallocation:1">
  <clientCorrelator>0001</clientCorrelator>
  <resourceURL>http://example.com/exampleAPI/1/location/subscriptions/periodic/tel:+1-555-0100</resourceURL>
  <callbackReference>
    <notifyURL>http://application.example.com/notifications/LocationNotification</notifyURL>
    <callbackData>1234</callbackData>
  </callbackReference>
  <address>tel:+1-555-0100</address>
  <requestedAccuracy>10</requestedAccuracy>
  <frequency>10</frequency>
</tl:periodicNotificationSubscription>
```

5.6.5.2 Example 2: returning the location of created resource (Informative)

5.6.5.2.1 Request

```
POST /exampleAPI/1/location/subscriptions/periodic HTTP/1.1
```

```

Content-Type: application/xml
Accept: application/xml
Host: example.com
Content-Length: nnnn

<?xml version="1.0" encoding="UTF-8"?>
<tl:periodicNotificationSubscription xmlns:tl="urn:oma:xml:rest:terminallocation:1">
  <clientCorrelator>0001</clientCorrelator>
  <callbackReference>
    <notifyURL>http://application.example.com/notifications/LocationNotification</notifyURL>
    <callbackData>1234</callbackData>
  </callbackReference>
  <address>tel:+1-555-0100</address>
  <requestedAccuracy>10</requestedAccuracy>
  <frequency>10</frequency>
</tl:periodicNotificationSubscription>

```

5.6.5.2.2 Response

```

HTTP/1.1 201 Created
Content-Type: application/xml
Location: http://example.com/exampleAPI/1/location/subscriptions/periodic/tel:+1-555-0100
Content-Length: nnnn
Date: Thu, 04 Jun 2009 02:51:59 GMT

<?xml version="1.0" encoding="UTF-8"?>
<common:resourceReference xmlns:common="urn:oma:xml:rest:common:1">
  <resourceURL>http://example.com/exampleAPI/1/location/subscriptions/periodic/tel:+1-555-0100</resourceURL>
</common:resourceReference>

```

5.6.6 DELETE

Method not supported by the resource. The returned HTTP error status is 405. The server should also include the 'Allow: GET, POST' field in the response as per section 14.7 of [RFC 2616].

5.7 Resource: Individual periodic location notification subscription

The resource used is:

http://{serverRoot}/{apiVersion}/location/subscriptions/periodic/{subscriptionId}

This resource is used to control individual subscription for periodic location notifications for a particular client.

5.7.1 Request URI variables

The following request URI variables are common for all HTTP commands:

Name	Description
serverRoot	server base url: hostname+port+base path. Example:

	http://example.com/exampleAPI
apiVersion	version of the ParlayREST API client wants to use (e.g. 1 for version 1.x)
subscriptionId	identifier of the subscription

5.7.2 Response codes

5.7.2.1 HTTP Response Codes

For HTTP response codes, see [OMA_REST_TS_Common].

5.7.2.2 Exception fault codes

For Policy Exception and Service Exception fault codes applicable to Terminal Location, see [3GPP 29.199-9].

5.7.3 GET

This operation is used to read an individual subscription for periodic location notifications for the particular client.

No URL parameters

5.7.3.1 Example

(Informative)

5.7.3.1.1 Request

```
GET /exampleAPI/1/location/subscriptions/periodic/tel: %3A%2B1-555-0100 HTTP/1.1
Accept: application/xml
Host: example.com
```

5.7.3.1.2 Response

```
HTTP/1.1 200 OK
Content-Type: application/xml
Date: Thu, 04 Jun 2009 02:51:59 GMT

<?xml version="1.0" encoding="UTF-8"?>
<tl:periodicNotificationSubscription xmlns:tl="urn:oma:xm1:rest:terminallocation:1">
  <clientCorrelator>0001</clientCorrelator>
  <resourceURL>http://example.com/exampleAPI/1/location/subscriptions/periodic/tel:+1-555-0100</resourceURL>
  <callbackReference>
    <notifyURL>http://application.example.com/notifications/LocationNotification</notifyURL>
    <callbackData>1234</callbackData>
  </callbackReference>
  <address>tel:+1-555-0100</address>
  <requestedAccuracy>10</requestedAccuracy>
  <frequency>10</frequency>
</tl:periodicNotificationSubscription>
```

5.7.4 PUT

This operation is used to update an individual subscription for periodic location notifications for the particular client.

If the requester parameter is present and the requester is not authorized, PolicyException (POL0002) will be returned.

5.7.4.1 Example

(Informative)

5.7.4.1.1 Request

```

PUT /exampleAPI/1/location/subscriptions/periodic/tel%3A%2B1-555-0100 HTTP/1.1
Content-Type: application/xml
Accept: application/xml
Host: example.com
Content-Length: nnnn

<?xml version="1.0" encoding="UTF-8"?>
<tl:periodicNotificationSubscription xmlns:tl="urn:oma:xml:rest:terminallocation:1">
  <clientCorrelator>0001</clientCorrelator>
  <resourceURL>http://example.com/exampleAPI/1/location/subscriptions/periodic/tel:+1-555-0100</resourceURL>
  <callbackReference>
    <notifyURL>http://application.example.com/notifications/LocationNotification</notifyURL>
    <callbackData>1234</callbackData>
  </callbackReference>
  <address>tel:+1-555-0100</address>
  <requestedAccuracy>5</requestedAccuracy>
  <frequency>60</frequency>
</tl:periodicNotificationSubscription>

```

5.7.4.1.2 Response

```

HTTP/1.1 200 OK
Content-Type: application/xml
Date: Thu, 04 Jun 2009 02:51:59 GMT

<?xml version="1.0" encoding="UTF-8"?>
<tl:periodicNotificationSubscription xmlns:tl="urn:oma:xml:rest:terminallocation:1">
  <clientCorrelator>0001</clientCorrelator>
  <resourceURL>http://example.com/exampleAPI/1/location/subscriptions/periodic/tel:+1-555-0100</resourceURL>
  <callbackReference>
    <notifyURL>http://application.example.com/notifications/LocationNotification</notifyURL>
    <callbackData>1234</callbackData>
  </callbackReference>
  <address>tel:+1-555-0100</address>
  <requestedAccuracy>5</requestedAccuracy>
  <frequency>60</frequency>
</tl:periodicNotificationSubscription>

```

5.7.5 POST

Method not supported by the resource. The returned HTTP error status is 405. The server should also include the 'Allow: GET, PUT, DELETE' field in the response as per section 14.7 of [RFC 2616].

5.7.6 DELETE

This operation is used to delete a subscription for periodic location notifications and stop notifications for a particular client.

No URL parameters

5.7.6.1 Example (Informative)**5.7.6.1.1 Request**

```
DELETE /exampleAPI/1/location/subscriptions/periodic/tel: %3A%2B 1-555-0100 HTTP/1.1
Accept: application/xml
Host: example.com
```

5.7.6.1.2 Response

```
HTTP/1.1 204 No Content
Date: Thu, 04 Jun 2009 02:51:59 GMT
```

5.8 Resource: Area (circle) notification subscriptions

The resource used is:

http://{serverRoot}/{apiVersion}/location/subscriptions/area/circle

This resource is used to control subscriptions for notification about terminal movements in relation to the geographic area (circle), crossing in and out, for a particular client.

5.8.1 Request URI variables

The following request URI variables are common for all HTTP commands:

Name	Description
serverRoot	server base url: hostname+port+base path. Example: http://example.com/exampleAPI
apiVersion	version of the ParlayREST API client wants to use (e.g. 1 for version 1.x)

5.8.2 Response codes**5.8.2.1 HTTP Response Codes**

For HTTP response codes, see [OMA_REST_TS_Common].

5.8.2.2 Exception fault codes

For Policy Exception and Service Exception fault codes applicable to Terminal Location, see [3GPP 29.199-9].

5.8.3 GET

This operation is used to read all active movement notifications subscriptions for the particular client.

No URL parameters

5.8.3.1 Example (Informative)**5.8.3.1.1 Request**


```
GET /exampleAPI/1/location/subscriptions/area/circle HTTP/1.1
Accept: application/xml
Host: example.com
```

5.8.3.1.2 Response

```
HTTP/1.1 200 OK
Content-Type: application/xml
Date: Thu, 04 Jun 2009 02:51:59 GMT
```

```
<?xml version="1.0" encoding="UTF-8"?>
<tl:notificationSubscriptionList xmlns:tl="urn:oma:xml:rest:terminallocation:1">
  <circleNotificationSubscription>
    <clientCorrelator>0003</clientCorrelator>
    <resourceURL>http://example.com/exampleAPI/1/location/subscriptions/area/circle/tel:+1-555-0101</resourceURL>
    <callbackReference>
      <notifyURL>http://application.example.com/notifications/LocationNotification</notifyURL>
      <callbackData>4444</callbackData>
    </callbackReference>
    <address>tel:+1-555-0100</address>
    <latitude>100.23</latitude>
    <longitude>-200.45</longitude>
    <radius>500</radius>
    <trackingAccuracy>10</trackingAccuracy>
    <enteringLeavingCriteria>Entering</enteringLeavingCriteria>
    <checkImmediate>true</checkImmediate>
    <frequency>10</frequency>
  </circleNotificationSubscription>
  <circleNotificationSubscription>
    <clientCorrelator>0004</clientCorrelator>
    <resourceURL>http://example.com/exampleAPI/1/location/subscriptions/area/circle/tel:+1-555-0102</resourceURL>
    <callbackReference>
      <notifyURL>http://application.example.com/notifications/LocationNotification</notifyURL>
      <callbackData>5555</callbackData>
    </callbackReference>
    <address>tel:+1-555-0100</address>
    <address>tel:+1-555-0101</address>
    <latitude>100.23</latitude>
    <longitude>-200.45</longitude>
    <radius>500</radius>
    <trackingAccuracy>10</trackingAccuracy>
    <enteringLeavingCriteria>Entering</enteringLeavingCriteria>
    <checkImmediate>true</checkImmediate>
    <frequency>10</frequency>
  </circleNotificationSubscription>
</tl:notificationSubscriptionList>
```

5.8.4 PUT

Method not supported by the resource. The returned HTTP error status is 405. The server should also include the 'Allow: GET, POST' field in the response as per section 14.7 of [RFC 2616].

5.8.5 POST

This operation is used to create new movement notification subscription for the particular client.

If the requester parameter is present and the requester is not authorized, PolicyException (POL0002) will be returned.

Note: server implementation may use clientCorrelator value, if provided by client, as {subscriptionId}. Otherwise, sequence number should be generated for {subscriptionId}. This is to make sure that client can have a stable and predictable URL for online subscriptions. May be required when multiple client instances are used for performance reasons.

5.8.5.1 Example

(Informative)

5.8.5.1.1 Request

```
POST /exampleAPI/1/location/subscriptions/area/circle HTTP/1.1
Content-Type: application/xml
Accept: application/xml
Host: example.com
Content-Length: nnnn

<?xml version="1.0" encoding="UTF-8"?>
<tl:circleNotificationSubscription
  xmlns:tl="urn:oma:xml:rest:terminallocation:1">
<clientCorrelator>0003</clientCorrelator>
<callbackReference>
  <notifyURL>http://application.example.com/notifications/LocationNotification</notifyURL>
  <callbackData>4444</callbackData>
</callbackReference>
<address>tel:+1-555-0100</address>
<latitude>100.23</latitude>
<longitude>-200.45</longitude>
<radius>500</radius>
<trackingAccuracy>10</trackingAccuracy>
<enteringLeavingCriteria>Entering</enteringLeavingCriteria>
<checkImmediate>true</checkImmediate>
<frequency>10</frequency>
</tl:circleNotificationSubscription>
```

5.8.5.1.2 Response

```
HTTP/1.1 201 Created
Content-Type: application/xml
Location: http://example.com/exampleAPI/1/location/subscriptions/area/circle/tel:+1-555-0100/
Date: Thu, 04 Jun 2009 02:51:59 GMT

<?xml version="1.0" encoding="UTF-8"?>
<tl:circleNotificationSubscription xmlns:tl="urn:oma:xml:rest:terminallocation:1">
  <clientCorrelator>0003</clientCorrelator>
  <resourceURL>http://example.com/exampleAPI/1/location/subscriptions/area/circle/tel:+1-555-0100</resourceURL>
  <callbackReference>
    <notifyURL>http://application.example.com/notifications/LocationNotification</notifyURL>
    <callbackData>4444</callbackData>
  </callbackReference>
  <address>tel:+1-555-0100</address>
```

```

<latitude>100.23</latitude>
<longitude>-200.45</longitude>
<radius>500</radius>
<trackingAccuracy>10</trackingAccuracy>
<enteringLeavingCriteria>Entering</enteringLeavingCriteria>
<checkImmediate>true</checkImmediate>
<frequency>10</frequency>
</tl:circleNotificationSubscription>

```

5.8.6 DELETE

Method not supported by the resource. The returned HTTP error status is 405. The server should also include the 'Allow: GET, POST' field in the response as per section 14.7 of [RFC 2616].

5.9 Resource: Area (circle) individual notification subscription

The resource used is:

http://{serverRoot}/{apiVersion}/location/subscriptions/area/circle/{subscriptionId}

This resource is used to control individual subscription for notifications about terminal movement in relation to the geographic area (circle), crossing in and out, for a particular client.

5.9.1 Request URI variables

The following request URI variables are common for all HTTP commands:

Name	Description
serverRoot	server base url: hostname+port+base path. Example: http://example:80/ParlayREST
apiVersion	version of the ParlayREST API client wants to use (e.g. 1 for version 1.x)
subscriptionId	identifier of the subscription

5.9.2 Response Codes

5.9.2.1 HTTP Response Codes

For HTTP response codes, see [OMA_REST_TS_Common].

5.9.2.2 Exception fault codes

For Policy Exception and Service Exception fault codes applicable to Terminal Location, see [3GPP 29.199-9].

5.9.3 GET

This operation is used to read an individual subscription for movement notification for the particular client.

No URL parameters

5.9.3.1 Example

(Informative)

5.9.3.1.1 Request

```
GET /exampleAPI/1/location/subscriptions/area/circle/tel:+1-555-0100 HTTP/1.1
Accept: application/xml
Host: example.com
```

5.9.3.1.2 Response

```
HTTP/1.1 200 OK
Content-Type: application/xml
Date: Thu, 04 Jun 2009 02:51:59 GMT
```

```
<?xml version="1.0" encoding="UTF-8"?>
<tl:circleNotificationSubscription xmlns:tl="urn:oma:xml:rest:terminallocation:1">
  <clientCorrelator>0003</clientCorrelator>
  <resourceURL>http://example.com/exampleAPI/1/location/subscriptions/area/circle/tel:+1-555-0100</resourceURL>
  <callbackReference>
    <notifyURL>http://application.example.com/notifications/LocationNotification</notifyURL>
    <callbackData>4444</callbackData>
  </callbackReference>
  <address>tel:+1-555-0100</address>
  <latitude>100.23</latitude>
  <longitude>-200.45</longitude>
  <radius>500</radius>
  <trackingAccuracy>10</trackingAccuracy>
  <enteringLeavingCriteria>Entering</enteringLeavingCriteria>
  <checkImmediate>true</checkImmediate>
  <frequency>10</frequency>
</tl:circleNotificationSubscription>
```

5.9.4 PUT

This operation is used to update the subscription for movement notification for the particular client.

If the requester parameter is present and the requester is not authorized, PolicyException (POL0002) will be returned.

5.9.4.1 Example: update radius

(Informative)

5.9.4.1.1 Request

```
PUT /exampleAPI/1/location/subscriptions/area/circle/tel:+1-555-0100 HTTP/1.1
Content-Type: application/xml
Accept: application/xml
Host: example.com
Content-Length: nnnn
```

```
<?xml version="1.0" encoding="UTF-8"?>
<tl:circleNotificationSubscription xmlns:tl="urn:oma:xml:rest:terminallocation:1">
  <clientCorrelator>0003</clientCorrelator>
  <resourceURL>http://example.com/exampleAPI/1/location/subscriptions/area/circle/tel:+1-555-0100</resourceURL>
  <callbackReference>
    <notifyURL>http://application.example.com/notifications/LocationNotification</notifyURL>
    <callbackData>4444</callbackData>
  </callbackReference>
  <address>tel:+1-555-0100</address>
```

```

<latitude>100.23</latitude>
<longitude>-200.45</longitude>
<radius>50</radius>
<trackingAccuracy>10</trackingAccuracy>
<enteringLeavingCriteria>Entering</enteringLeavingCriteria>
<checkImmediate>true</checkImmediate>
<frequency>10</frequency>
</tl:circleNotificationSubscription>

```

5.9.4.1.2 Response

```

HTTP/1.1 200 OK
Content-Type: application/xml
Date: Thu, 04 Jun 2009 02:51:59 GMT

<?xml version="1.0" encoding="UTF-8"?>
<tl:circleNotificationSubscription xmlns:tl="urn:oma:xml:rest:terminallocation:1">
  <clientCorrelator>0003</clientCorrelator>
  <resourceURL>
http://example.com/exampleAPI/1/location/subscriptions/area/circle/tel:+1-555-0100
</resourceURL>
  <callbackReference>
  <notifyURL>http://application.example.com/notifications/LocationNotification</notifyURL>
  <callbackData>4444</callbackData>
</callbackReference>
  <address>tel:+1-555-0100</address>
  <latitude>100.23</latitude>
  <longitude>-200.45</longitude>
  <radius>50</radius>
  <trackingAccuracy>10</trackingAccuracy>
  <enteringLeavingCriteria>Entering</enteringLeavingCriteria>
  <checkImmediate>true</checkImmediate>
  <frequency>10</frequency>
</tl:circleNotificationSubscription>

```

5.9.5 POST

Method not supported by the resource. The returned HTTP error status is 405. The server should also include the ‘Allow: GET, PUT, DELETE’ field in the response as per section 14.7 of [RFC 2616].

5.9.6 DELETE

This operation is used to delete subscription for movement notifications and stop notifications for the particular client.

No URL parameters

5.9.6.1 Example

(Informative)

5.9.6.1.1 Request

```

DELETE /exampleAPI/1/location/subscriptions/area/circle/tel%3A%2B1-555-0100 HTTP/1.1
Accept: application/xml

```

Host: example.com

5.9.6.1.2 Response

HTTP/1.1 204 No Content
Date: Thu, 04 Jun 2009 02:51:59 GMT

5.10 Resource: Distance notification subscriptions

The resource used is:

http://{serverRoot}/{apiVersion}/location/subscriptions/distance

This resource is used to control subscriptions for notification about changes in the geographical relationships between terminals (a client has passed a border by either approaching or leaving another referenced client).

5.10.1 Request URI variables

The following request URI variables are common for all HTTP commands:

Name	Description
serverRoot	server base url: hostname+port+base path. Example: http://example.com/exampleAPI
apiVersion	version of the ParlayREST API client wants to use (e.g. 1 for version 1.x)

5.10.2 Response codes

5.10.2.1 HTTP Response Codes

For HTTP response codes, see [OMA_REST_TS_Common].

5.10.2.2 Exception fault codes

For Policy Exception and Service Exception fault codes applicable to Terminal Location, see [3GPP 29.199-9].

5.10.3 GET

This operation is used to read all active distance notifications subscriptions for the particular client.

No URL parameters

5.10.3.1 Example

(Informative)

5.10.3.1.1 Request

GET /exampleAPI/1/location/subscriptions/distance HTTP/1.1
Accept: application/xml

Host: example.com

5.10.3.1.2 Response

```

HTTP/1.1 200 OK
Content-Type: application/xml
Date: Thu, 04 Jun 2009 02:51:59 GMT

<?xml version="1.0" encoding="UTF-8"?>
<tl:notificationSubscriptionList
xmlns:tl="urn:oma:xml:rest:terminallocation:1">
  <distanceNotificationSubscription>
    <clientCorrelator>0006</clientCorrelator>
    <resourceURL>http://example.com/exampleAPI/1/location/subscriptions/distance/tel:+1-555-0101</resourceURL>
    <callbackReference>
      <notifyURL>http://application.example.com/notifications/LocationNotification</notifyURL>
      <callbackData>6666</callbackData>
    </callbackReference>
    <referenceAddress>tel:+1-555-0100</referenceAddress>
    <monitoredAddress>tel:+1-555-0101</monitoredAddress>
    <monitoredAddress>tel:+1-555-0102</monitoredAddress>
    <distance>100</distance>
    <trackingAccuracy>10</trackingAccuracy>
    <criteria>AllWithinDistance</criteria>
    <checkImmediate>true</checkImmediate>
    <frequency>10</frequency>
  </distanceNotificationSubscription>
  <distanceNotificationSubscription>
    <clientCorrelator>0007</clientCorrelator>
    <resourceURL>
http://example.com/exampleAPI/1/location/subscriptions/distance/tel:+1-555-0102</resourceURL>
    <callbackReference>
      <notifyURL>http://application.example.com/notifications/LocationNotification</notifyURL>
      <callbackData>7777</callbackData>
    </callbackReference>
    <monitoredAddress>tel:+1-555-0100</monitoredAddress>
    <monitoredAddress>tel:+1-555-0101</monitoredAddress>
    <monitoredAddress>tel:+1-555-0102</monitoredAddress>
    <distance>1000</distance>
    <trackingAccuracy>50</trackingAccuracy>
    <criteria>AnyBeyondDistance</criteria>
    <checkImmediate>true</checkImmediate>
    <frequency>10</frequency>
  </distanceNotificationSubscription>
</tl:notificationSubscriptionList>

```

5.10.4 PUT

Method not supported by the resource. The returned HTTP error status is 405. The server should also include the 'Allow: GET, POST' field in the response as per section 14.7 of [RFC 2616].

5.10.5 POST

This operation is used to create new distance notification subscription for the particular client.

If the requester parameter is present and the requester is not authorized, PolicyException (POL0002) will be returned.

Note: server implementation may use **clientCorrelator** value, if provided by client, as {subscriptionId}. Otherwise, sequence number should be generated for {subscriptionId}. This is to make sure that client can have a stable and predictable URL for online subscriptions.

5.10.5.1 Example

(Informative)

5.10.5.1.1 Request

```
POST /exampleAPI/1/location/subscriptions/distance HTTP/1.1
Content-Type: application/xml
Accept: application/xml
Host: example.com
Content-Length: nnnn

<?xml version="1.0" encoding="UTF-8"?>
<tl:distanceNotificationSubscription
xmlns:tl="urn:oma:xml:rest:terminallocation:1">
<clientCorrelator>0006</clientCorrelator>
<callbackReference>
  <notifyURL>http://application.example.com/notifications/LocationNotification</notifyURL>
  <callbackData>6666</callbackData>
</callbackReference>
<referenceAddress>tel:+1-555-0100</referenceAddress>
<monitoredAddress>tel:+1-555-0101</monitoredAddress>
<monitoredAddress>tel:+1-555-0102</monitoredAddress>
<distance>100</distance>
<trackingAccuracy>10</trackingAccuracy>
<criteria>AllWithinDistance</criteria>
<checkImmediate>true</checkImmediate>
<frequency>10</frequency>
</tl:distanceNotificationSubscription>
```

5.10.5.1.2 Response

```
HTTP/1.1 201 Created
Content-Type: application/xml
Location: http://example.com/exampleAPI/1/location/subscriptions/distance/tel:+1-555-0100
Date: Thu, 04 Jun 2009 02:51:59 GMT

<?xml version="1.0" encoding="UTF-8"?>
<tl:distanceNotificationSubscription xmlns:tl="urn:oma:xml:rest:terminallocation:1" >
  <clientCorrelator>0006</clientCorrelator>
<resourceURL>http://example.com/exampleAPI/1/location/subscriptions/distance/tel:+1-555-0100</resourceURL>
<callbackReference>
  <notifyURL>http://application.example.com/notifications/LocationNotification</notifyURL>
  <callbackData>6666</callbackData>
</callbackReference>
<referenceAddress>tel:+1-555-0100</referenceAddress>
```



```

<monitoredAddress>tel:+1-555-0101</monitoredAddress>
<monitoredAddress>tel:+1-555-0102</monitoredAddress>
<distance>100</distance>
<trackingAccuracy>10</trackingAccuracy>
<criteria>AllWithinDistance</criteria>
<checkImmediate>true</checkImmediate>
<frequency>10</frequency>
</tl:distanceNotificationSubscription>

```

5.10.6 DELETE

Method not supported by the resource. The returned HTTP error status is 405. The server should also include the 'Allow: GET, POST' field in the response as per section 14.7 of [RFC 2616].

5.11 Resource: Distance individual notification subscription

The resource used is:

http://{serverRoot}/{apiVersion}/location/subscriptions/distance/{subscriptionId}

This resource is used to control individual subscription for notifications about changes in the geographical relationships between terminals (a client has passed a border by either approaching or leaving another referenced client).

5.11.1 Request URI variables

The following request URI variables are common for all HTTP commands:

Name	Description
serverRoot	server base url: hostname+port+base path. Example: http://example:80/ParlayREST
apiVersion	version of the ParlayREST API client wants to use (e.g. 1 for version 1.x)
subscriptionId	identifier of the subscription

5.11.2 Response Codes

5.11.2.1 HTTP Response Codes

For HTTP response codes, see [OMA_REST_TS_Common].

5.11.2.2 Exception fault codes

For Policy Exception and Service Exception fault codes applicable to Terminal Location, see [3GPP 29.199-9].

5.11.3 GET

This operation is used to read an individual subscription for distance notification for the particular client.

No URL parameters

5.11.3.1 Example

(Informative)

5.11.3.1.1 Request

```
GET /exampleAPI/1/location/subscriptions/distance/tel:+1-555-0100 HTTP/1.1
```

```
Accept: application/xml
Host: example.com
```

5.11.3.1.2 Response

```
HTTP/1.1 200 OK
Content-Type: application/xml
Date: Thu, 04 Jun 2009 02:51:59 GMT

<?xml version="1.0" encoding="UTF-8"?>
<tl:distanceNotificationSubscription xmlns:tl="urn:oma:xml:rest:terminallocation:1">
  <clientCorrelator>0006</clientCorrelator>
  <resourceURL>http://example.com/exampleAPI/1/location/subscriptions/distance/tel:+1-555-0100</resourceURL>
  <callbackReference>
    <notifyURL>http://application.example.com/notifications/LocationNotification</notifyURL>
    <callbackData>6666</callbackData>
  </callbackReference>
  <referenceAddress>tel:+1-555-0100</referenceAddress>
  <monitoredAddress>tel:+1-555-0101</monitoredAddress>
  <monitoredAddress>tel:+1-555-0102</monitoredAddress>
  <distance>100</distance>
  <trackingAccuracy>10</trackingAccuracy>
  <criteria>AllWithinDistance</criteria>
  <checkImmediate>true</checkImmediate>
  <frequency>10</frequency>
</tl:distanceNotificationSubscription>
```

5.11.4 PUT

This operation is used to update the subscription for distance notification for the particular client.

If the requester parameter is present and the requester is not authorized, PolicyException (POL0002) will be returned.

5.11.4.1 Example: add a monitored address (Informative)

5.11.4.1.1 Request

```
PUT /exampleAPI/1/location/subscriptions/distance/tel:+1-555-0100 HTTP/1.1
Content-Type: application/xml
Accept: application/xml
Host: example.com
Content-Length: nnnn

<?xml version="1.0" encoding="UTF-8"?>
<tl:distanceNotificationSubscription xmlns:tl="urn:oma:xml:rest:terminallocation:1">
  <clientCorrelator>0006</clientCorrelator>
  <resourceURL>http://example.com/exampleAPI/1/location/subscriptions/distance/tel:+1-555-0100</resourceURL>
  <callbackReference>
    <notifyURL>http://application.example.com/notifications/LocationNotification</notifyURL>
    <callbackData>6666</callbackData>
  </callbackReference>
```

```

<referenceAddress>tel:+1-555-0100</referenceAddress>
<monitoredAddress>tel:+1-555-0101</monitoredAddress>
<monitoredAddress>tel:+1-555-0102</monitoredAddress>
<monitoredAddress>tel:+1-555-0103</monitoredAddress>
<distance>100</distance>
<trackingAccuracy>10</trackingAccuracy>
<criteria>AllWithinDistance</criteria>
<checkImmediate>true</checkImmediate>
<frequency>10</frequency>
</tl:distanceNotificationSubscription>

```

5.11.4.1.2 Response

```

HTTP/1.1 200 OK
Content-Type: application/xml
Date: Thu, 04 Jun 2009 02:51:59 GMT

```

```

<?xml version="1.0" encoding="UTF-8"?>
<tl:distanceNotificationSubscription xmlns:tl="urn:oma:xml:rest:terminallocation:1">
  <clientCorrelator>0006</clientCorrelator>
  <resourceURL>http://example.com/exampleAPI/1/location/subscriptions/distance/tel:+1-555-0100</resourceURL>
  <callbackReference>
    <notifyURL>http://application.example.com/notifications/LocationNotification</notifyURL>
    <callbackData>6666</callbackData>
  </callbackReference>
  <referenceAddress>tel:+1-555-0100</referenceAddress>
  <monitoredAddress>tel:+1-555-0101</monitoredAddress>
  <monitoredAddress>tel:+1-555-0102</monitoredAddress>
  <monitoredAddress>tel:+1-555-0103</monitoredAddress>
  <distance>100</distance>
  <trackingAccuracy>10</trackingAccuracy>
  <criteria>AllWithinDistance</criteria>
  <checkImmediate>true</checkImmediate>
  <frequency>10</frequency>
</tl:distanceNotificationSubscription>

```

5.11.5 POST

Method not supported by the resource. The returned HTTP error status is 405. The server should also include the 'Allow: GET, POST, DELETE' field in the response as per section 14.7 of [RFC 2616].

5.11.6 DELETE

This operation is used to delete subscription for distance notifications and stop notifications for the particular client.

No URL parameters

5.11.6.1 Example

(Informative)

5.11.6.1.1 Request

```

DELETE /exampleAPI/1/location/subscriptions/distance/tel:+1-555-0100 HTTP/1.1
Accept: application/xml

```

Host: example.com

5.11.6.1.2 Response:

HTTP/1.1 204 No Content
Date: Thu, 04 Jun 2009 02:51:59 GMT

5.12 Resource: Client notification callback resource

This resource is a client provided callback URL for notification about location changes. ParlayREST does not make any assumption about the structure of this URL

5.12.1 Request URI variables

Client provided.

5.12.2 Response Codes

5.12.2.1 HTTP Response Codes

For HTTP response codes, see [OMA_REST_TS_Common].

5.12.2.2 Exception fault codes

For Policy Exception and Service Exception fault codes applicable to Terminal Location, see [3GPP 29.199-9].

5.12.3 GET

Method not supported by the resource. The returned HTTP error status is 405. The server should also include the 'Allow: POST' field in the response as per section 14.7 of [RFC 2616].

5.12.4 PUT

Method not supported by the resource. The returned HTTP error status is 405. The server should also include the 'Allow: POST' field in the response as per section 14.7 of [RFC 2616].

5.12.5 POST

This operation is used to notify client about message arrival.

5.12.5.1 Example 1: Circle area notification (one terminal) (Informative)

5.12.5.1.1 Request

```
POST /notifications/LocationNotification HTTP/1.1
Content-Type: application/xml
Accept: application/xml
Host: application.example.com
Content-Length: nnnn
```

```
<?xml version="1.0" encoding="UTF-8"?>
<tl:subscriptionNotification xmlns:tl="urn:oma:xml:rest:terminallocation:1">
  <callbackData>4444</callbackData>
  <terminalLocation>
    <address>tel:+1-555-0100</address>
    <locationRetrievalStatus>Retrieved</locationRetrievalStatus>
    <currentLocation>
```

```

<latitude>-80.86302</latitude>
<longitude>41.277306</longitude>
<altitude>1001.0</altitude>
<accuracy>100</accuracy>
<timestamp>2009-06-03T00:27:23.000Z</timestamp>
</currentLocation>
</terminalLocation>
<enteringLeavingCriteria>Entering</enteringLeavingCriteria>
<isFinalNotification>>false</isFinalNotification>
<link rel="CircleNotificationSubscription"
  href="http://example.com/exampleAPI/1/location/subscriptions/area/circle/tel:+1-555-0100"/>
</tl:subscriptionNotification>

```

5.12.5.1.2 Response

```

HTTP/1.1 204 No Content
Date: Thu, 04 Jun 2009 02:51:59 GMT

```

5.12.5.2 Example 2: Periodic location notification (one terminal) (Informative)

5.12.5.2.1 Request

```

POST /notifications/LocationNotification HTTP/1.1
Content-Type: application/xml
Accept: application/xml
Host: application.example.com
Content-Length: nnnn

<?xml version="1.0" encoding="UTF-8"?>
<tl:subscriptionNotification xmlns:tl="urn:oma:xml:rest:terminallocation:1">
  <callbackData>1234</callbackData>
  <terminalLocation>
    <address>tel:+1-555-0100</address>
    <locationRetrievalStatus>Retrieved</locationRetrievalStatus>
    <currentLocation>
      <latitude>-80.86302</latitude>
      <longitude>41.277306</longitude>
      <altitude>1001.0</altitude>
      <accuracy>100</accuracy>
      <timestamp>2009-06-03T00:27:23.000Z</timestamp>
    </currentLocation>
  </terminalLocation>
  <isFinalNotification>>false</isFinalNotification>
  <link rel="PeriodicNotificationSubscription"
    href="http://example.com/exampleAPI/1/location/subscriptions/periodic/tel:+1-555-0100"/>
</tl:subscriptionNotification>

```

5.12.5.2.2 Response:

HTTP/1.1 204 No Content
Date: Thu, 04 Jun 2009 02:51:59 GMT

5.12.5.3 Example 3: Distance location notification (one terminal) (Informative)

5.12.5.3.1 Request

```
POST /notifications/LocationNotification HTTP/1.1
Content-Type: application/xml
Accept: application/xml
Host: application.example.com
Content-Length: nnnn

<?xml version="1.0" encoding="UTF-8"?>
<tl:subscriptionNotification xmlns:tl="urn:oma:xml:rest:terminallocation:1">
  <callbackData>6666</callbackData>
  <terminalLocation>
    <address>tel:+1-555-0100</address>
    <locationRetrievalStatus>Retrieved</locationRetrievalStatus>
    <currentLocation>
      <latitude>-80.86302</latitude>
      <longitude>41.277306</longitude>
      <altitude>1001.0</altitude>
      <accuracy>100</accuracy>
      <timestamp>2009-06-03T00:27:23.000Z</timestamp>
    </currentLocation>
  </terminalLocation>
  <distanceCriteria>AllBeyondDistance</distanceCriteria>
  <isFinalNotification>>false</isFinalNotification>
  <link rel="DistanceNotificationSubscription"
    href="http://example.com/exampleAPI/1/location/subscriptions/distance/tel:+1-555-0100"/>
</tl:subscriptionNotification>
```

5.12.5.3.2 Response

HTTP/1.1 204 No Content
Date: Thu, 04 Jun 2009 02:51:59 GMT

5.12.5.4 Example 4: Final periodic location notification (Informative)

5.12.5.4.1 Request

```
POST /notifications/LocationNotification HTTP/1.1
Accept: application/xml
Content-Type: application/xml
Host: application.example.com
Content-Length: nnnn

<?xml version="1.0" encoding="UTF-8"?>
<tl:subscriptionNotification xmlns:tl="urn:oma:xml:rest:terminallocation:1">
  <callbackData>1234</callbackData>
```

```

<terminalLocation>
  <address>tel:+1-555-0100</address>
  <locationRetrievalStatus>Retrieved</locationRetrievalStatus>
  <currentLocation>
    <latitude>-80.86302</latitude>
    <longitude>41.277306</longitude>
    <altitude>1001.0</altitude>
    <accuracy>100</accuracy>
    <timestamp>2009-06-03T00:27:23.000Z</timestamp>
  </currentLocation>
</terminalLocation>
<isFinalNotification>true</isFinalNotification>
<link rel="FinalDistanceNotificationSubscription"
  href="http://example.com/exampleAPI/1/location/subscriptions/periodic/tel:+1-555-0100"/>
</tl:subscriptionNotification>

```

5.12.5.4.2 Response:

```

HTTP/1.1 204 No Content
Date: Thu, 04 Jun 2009 02:51:59 GMT

```

5.12.5.5 Example 5: Subscription cancellation notification (Informative)

5.12.5.5.1 Request

```

POST /notifications/LocationNotification HTTP/1.1
Content-Type: application/xml
Accept: application/xml
Host: application.example.com
Content-Length: nnnn

<?xml version="1.0" encoding="UTF-8"?>
<tl:subscriptionCancellationNotification xmlns:tl="urn:oma:xml:rest:terminallocation:1">
  <callbackData>6666</callbackData>
  <address>tel:+1-555-0100</address>
  <reason>
    <messageId>SVC0001</messageId>
    <text>A service error occurred. %1 %2</text>
    <variables>Location information is not available for</variables>
    <variables>tel:+1-555-0100</variables>
  </reason>
  <link rel="DistanceNotificationSubscription"
    href="http://example.com/exampleAPI/1/location/subscriptions/distance/tel:+1-555-0100"/>
</tl:subscriptionCancellationNotification>

```

5.12.5.5.2 Response

```

HTTP/1.1 204 No Content
Date: Thu, 04 Jun 2009 02:51:59 GMT

```

5.12.6 DELETE

Method not supported by the resource. The returned HTTP error status is 405. The server should also include the 'Allow: POST' field in the response as per section 14.7 of [RFC 2616].

Appendix A. Change History

(Informative)

A.1 Approved Version History

Reference	Date	Description
OMA-TS-ParlayREST_TerminalLocation-V1_1-20120724-A	24 Jul 2012	Status changed to Approved by TP Ref TP Doc# OMA-TP-2012-0280-INP_ParlayREST_2_0_for_Final_Approval

Appendix B. Static Conformance Requirements (Normative)

The notation used in this appendix is specified in [SCR RULES].

B.1 SCR for ParlayREST.TerminalLocation Server

Item	Function	Reference	Requirement
PARLAYREST-LOC-SUPPORT-S-001-M	Support for the TERMINALLOCATION REST API	5	
PARLAYREST-LOC-SUPPORT-S-002-M	Support for the XML request & response format	5	
PARLAYREST-LOC-SUPPORT-S-003-M	Support for the JSON request & response format	5	

B.1.1 SCR for ParlayREST.TerminalLocation.TerminalLocation Server

Item	Function	Reference	Requirement
PARLAYREST-LOC-LOC-S-001-M	Support for returning current location of terminals	5.4	
PARLAYREST-LOC-LOC-S-002-M	Read terminal location information for a single address - GET	5.4.3	
PARLAYREST-LOC-LOC-S-003-M	Read terminal location information for a group of addresses - GET	5.4.3	

B.1.2 SCR for ParlayREST.TerminalLocation.TerminalDistanceFromLocation Server

Item	Function	Reference	Requirement
PARLAYREST-LOC-LOC-DIST-S-001-O	Support for returning distance from terminal current location	5.5	PARLAYREST-LOC-LOC-DIST-S-002-O
PARLAYREST-LOC-LOC-DIST-S-002-O	the distance from current terminal location - GET	5.5.3	

B.1.3 SCR for ParlayREST.TerminalLocation.PeriodicLocationNotificationSubscriptions Server

Item	Function	Reference	Requirement
PARLAYREST-LOC-LOC-NOTIF-SUBSCR-S-001-O	Support for controlling subscriptions for periodic location notification for a particular client.	5.6	PARLAYREST-LOC-LOC-NOTIF-SUBSCR-S-003-O
PARLAYREST-LOC-LOC-NOTIF-	Read all active subscriptions for	5.6.3	

Item	Function	Reference	Requirement
SUBSCR-S-002-O	periodic notifications for the particular client - GET		
PARLAYREST-LOC-LOC-NOTIF-SUBSCR-S-003-O	Create a new periodic notification subscription for the particular client - POST	5.6.5	

B.1.4 SCR for ParlayREST.TerminalLocation. IndividualPeriodicNotificationSubscr Server

Item	Function	Reference	Requirement
PARLAYREST-LOC-IND-NOTIF-SUBSCR-S-001-O	Support for controlling individual subscription for periodic location notifications for a particular client.	5.7	
PARLAYREST-LOC-IND-NOTIF-SUBSCR-S-002-O	Read an individual subscription for periodic location notifications for the particular client. - GET	5.7.3	
PARLAYREST-LOC-IND-NOTIF-SUBSCR-S-003-O	Update an individual subscription for periodic location notifications for the particular client. - PUT	5.7.4	
PARLAYREST-LOC-IND-NOTIF-SUBSCR-S-004-O	Delete a subscription for periodic location notifications and stop notifications for a particular client. - DELETE	5.7.6	

B.1.5 SCR for ParlayREST.TerminalLocation. AreaCircleNotificationSubscriptions Server

Item	Function	Reference	Requirement
PARLAYREST-LOC-AREA-CIR-NOTIF-SUBSCR-S-001-O	Support for controlling subscriptions for notification about terminal movements in relation to the geographic area (circle), crossing in and out, for a particular client.	5.8	PARLAYREST-LOC-AREA-CIR-NOTIF-SUBSCR-S-003-O
PARLAYREST-LOC-AREA-CIR-NOTIF-SUBSCR-S-002-O	Read all active movement notifications subscriptions for the particular client - GET	5.8.3	

Item	Function	Reference	Requirement
PARLAYREST-LOC-AREA-CIR-NOTIF-SUBSCR-S-003-O	Create new movement notification subscription for the particular client. - POST	5.8.5	

B.1.6 SCR for ParlayREST.TerminalLocation. AreaCircleIndividualNotificationSubscription Server

Item	Function	Reference	Requirement
PARLAYREST-LOC-AREA-CIR-IND-NOTIF-SUBSCR-S-001-O	Support for controlling individual subscription for notifications about terminal movements in relation to the geographic area (circle), crossing in and out, for a particular client.	5.9	
PARLAYREST-LOC-AREA-CIR-IND-NOTIF-SUBSCR-S-002-O	Read an individual subscription for movement notification for the particular client. - GET	5.9.3	
PARLAYREST-LOC-AREA-CIR-IND-NOTIF-SUBSCR-S-003-O	Update the subscription for movement notification for the particular client. - PUT	5.9.4	
PARLAYREST-LOC-AREA-CIR-IND-NOTIF-SUBSCR-S-004-O	Delete subscription for movement notifications and stop notifications for the particular client. - DELETE	5.9.6	

B.1.7 SCR for ParlayREST.TerminalLocation. DistanceNotificationSubscriptions Server

Item	Function	Reference	Requirement
PARLAYREST-LOC-DIST-NOTIF-SUBSCR-S-001-O	Support for controlling subscriptions for notification about changes in the geographical relationships between terminals.	5.10	PARLAYREST-LOC-DIST-NOTIF-SUBSCR-S-003-O
PARLAYREST-LOC-DIST-NOTIF-SUBSCR-S-002-O	Read all active distance notifications subscriptions for the particular client. - GET	5.10.3	
PARLAYREST-LOC-DIST-NOTIF-SUBSCR-S-003-O	Create new distance notification subscription for the	5.10.5	

Item	Function	Reference	Requirement
	particular client.- POST		

B.1.8 SCR for ParlayREST.TerminalLocation. DistanceIndividualNotificationSubscription Server

Item	Function	Reference	Requirement
PARLAYREST-LOC-DIST-IND-NOTIF-SUBSCR-S-001-O	Support for controlling individual subscription for notifications about changes in the geographical relationships between terminals.	5.11	
PARLAYREST-LOC-DIST-IND-NOTIF-SUBSCR-S-002-O	Read an individual subscription for distance notification for the particular client.- GET	5.11.3	
PARLAYREST-LOC-DIST-IND-NOTIF-SUBSCR-S-003-O	Update the subscription for distance notification for the particular client - PUT	5.11.4	
PARLAYREST-LOC-DIST-IND-NOTIF-SUBSCR-S-004-O	Delete subscription for distance notifications and stop notifications for the particular client. - DELETE	5.11.6	

B.1.9 SCR for ParlayREST. TerminalLocation. ClientNotificationCallbackResource Server

Item	Function	Reference	Requirement
PARLAYREST-LOC-CLIENT-NOTIF-CALLB-S-001-O	Support for callback URL for notification about location changes	5.12	PARLAYREST-LOC-CLIENT-NOTIF-CALLB-S-002-O
PARLAYREST-LOC-CLIENT-NOTIF-CALLB-S-002-O	Notify client about message arrival - POST	5.12.5	

Appendix C. Application/x-www-form-urlencoded Request Format for POST Operations (Normative)

In all ParlayREST specifications, Appendix C defines a format for API requests where the body of the request is encoded using the application/x-www-form-urlencoded MIME type.

In this particular specification, Appendix C has been intentionally left empty.

Note: The use case for x-www-form-urlencoded parameters is the submission of the parameters directly to the REST resource from an HTML form in a web browser. The web browser submits forms using the POST method. Therefore, this section only applies to the POST method. There were no requirements for the POST methods defined in this specification to use parameters in the x-www-form-urlencoded format.

Appendix D. JSON examples (Informative)

JSON (JavaScript Object Notation) is a lightweight, text-based, language-independent data interchange format. It provides a simple means to represent basic name-value pairs, arrays and objects. JSON is relatively trivial to parse and evaluate using standard JavaScript libraries, and hence is suited for Parlay REST invocations from browsers or other processors with JavaScript engines. Further information on JSON can be found at [RFC 4627].

The following examples show the request and response for various operations using a JSON binding. The examples follow the XML to JSON serialization rules in [OMA_REST_TS_Common]. A JSON response can be obtained by using the content type negotiation mechanism specified in [OMA_REST_TS_Common].

For full details on the operations themselves please refer to the section number indicated.

D.1 Get location single address (section 5.4.3.1)

Request:

```
GET /exampleAPI/1/location/queries/location?address=tel%3A%2B1-555-0100&tolerance=LowDelay&requestedAccuracy=1000
&acceptableAccuracy=1000 HTTP/1.1
Accept: application/json
Host: example.com
```

Response:

```
HTTP/1.1 200 OK
Content-Type: application/json
Content-Length: nnnn
Date: Thu, 04 Jun 2009 02:51:59 GMT

{"terminalLocationList": {"terminalLocation": {
  "address": "tel:+1-555-0100",
  "currentLocation": {
    "accuracy": "100",
    "altitude": "1001.0",
    "latitude": "-80.86302",
    "longitude": "41.277306",
    "timestamp": "2009-06-03T00:27:23.000Z"
  },
  "locationRetrievalStatus": "Retrieved"
}}
```

D.2 Get location multiple addresses (section 5.4.3.2)

Request:

```
GET /exampleAPI/1/location/queries/location?address=tel%3A%2B1-555-0100&address=tel%3A%2B1-555-0101&
Tolerance=LowDelay&requestedAccuracy=1000&acceptableAccuracy=1000 HTTP/1.1
Accept: application/json
Host: example.com
```

Response:

```
HTTP/1.1 200 OK

Content-Type: application/json
Content-Length: nnnn
```

Date: Thu, 04 Jun 2009 02:51:59 GMT

```
{
  "terminalLocationList": {
    "terminalLocation": [
      {
        "address": "tel:+1-555-0100",
        "currentLocation": {
          "accuracy": "100",
          "altitude": "1001.0",
          "latitude": "-80.86302",
          "longitude": "41.277306",
          "timestamp": "2009-06-03T00:27:23.000Z"
        },
        "locationRetrievalStatus": "Retrieved"
      },
      {
        "address": "tel:1-555-0101",
        "errorInformation": {
          "messageId": "SVC0001",
          "text": "A service error occurred. %1 %2",
          "variables": [
            "Location information is not available for",
            "tel:1-555-0101"
          ]
        },
        "locationRetrievalStatus": "Error"
      }
    ]
  }
}
```

D.3 Location with unsupported accuracy (section 5.4.3.3)

Request:

```
GET /exampleAPI/1/location/queries/location?resFormat=JSON&address=tel%3A%2B1-555-0100&tolerance=LowDelay&requestedAccuracy=10&acceptableAccuracy=100 HTTP/1.1
Accept: application/json
Host: example.com
```

Response:

```
HTTP/1.1 200 OK
Content-Type: application/json
Content-Length: nnnn
Date: Thu, 04 Jun 2009 02:51:59 GMT

{"requestError": {
  "link": {
    "href": "http://example.com/exampleAPI/1/location/queries/location",
    "rel": "TerminalLocationList"
  },
  "policyException": {
    "messageId": "POL0230",
    "text": "The requested accuracy %1 is not supported by the policy",
    "variables": "10"
  }
}}
```


D.4 Location with unauthorized requester (section 5.4.3.4)

Request:

```
GET /exampleAPI/1/location/queries/location?requester=tel%3A%2B1-555-0102&address=tel%3A%2B1-555-0100&tolerance=LowDelay&requestedAccuracy=10&acceptableAccuracy=100 HTTP/1.1
Accept: application/json
Host: example.com
```

Response:

```
HTTP/1.1 200 OK
Content-Type: application/json
Content-Length: nnnn
Date: Thu, 04 Jun 2009 02:51:59 GMT

{"requestError": {
  "policyException": {
    "messageId": "POL0002",
    "text": "Privacy error."
  }
}}
```

D.5 Distance between a terminal and a location (section 5.5.3.1)

Request:

```
GET /exampleAPI/1/location/queries/distance?resFormat=JSON&address=tel%3A%2B1-555-0101&latitude=50&longitude=125 HTTP/1.1
Host: example.com
```

Response:

```
HTTP/1.1 200 OK
Content-Type: application/json
Content-Length: nnnn
Date: Thu, 04 Jun 2009 02:51:59 GMT

{"terminalDistance": {"distance": "100"}}
```

D.6 Distance between two terminals (section 5.5.3.2)

Request:

```
GET /exampleAPI/1/location/queries/distance?address=tel%3A%2B1-555-0101& address=tel%3A%2B1-555-0102 HTTP/1.1
Accept: application/json
Host: example.com
```

Response:

```
HTTP/1.1 200 OK
Content-Type: application/json
Content-Length: nnnn
Date: Thu, 04 Jun 2009 02:51:59 GMT

{"terminalDistance": {"distance": "100"}}
```

D.7 Invalid address (section 5.5.3.3)

Request:

```
GET /exampleAPI/1/location/queries/distance?address=tel%3A%2B+1-555-0199&latitude=50&longitude=125 HTTP/1.1
Accept: application/json
Host: example.com
```

Response:

```
HTTP/1.1 200 OK
Content-Type: application/json
Content-Length: nnnn
Date: Thu, 04 Jun 2009 02:51:59 GMT

{"requestError": {
  "link": {
    "href": "http://example.com/exampleAPI/1/location/queries/distance",
    "rel": "TerminalDistance"
  },
  "serviceException": {
    "messageId": "SVC0002",
    "text": " Invalid input value for message part %1",
    "variables": " tel:++1-555-0199"
  }
}}
```

D.8 Too many addresses (section 5.5.3.4)

Request:

```
GET /exampleAPI/1/location/queries/distance?address=tel%3A%2B+1-555-0199&address=tel%3A%2B+1-555-0198&address=tel%3A%2B1-555-0101 HTTP/1.1
Accept: application/json
Host: example.com
```

Response:

```
HTTP/1.1 400 Bad Request
Content-Type: application/json
Content-Length: nnnn
Date: Thu, 04 Jun 2009 02:51:59 GMT

{"requestError": {
  "link": {
    "href": "http://example.com/exampleAPI/1/location/queries/distance",
    "rel": "TerminalDistance"
  },
  "policyException": {
    "messageId": "POL0003",
    "text": " Too many addresses specified in message part %1",
    "variables": "addresses"
  }
}}
```

D.9 Get periodic notification subscriptions (section 5.6.3)

Request:

```
GET /exampleAPI/1/location/subscriptions/periodic HTTP/1.1
Accept: application/json
Host: example.com
```

Response:

```
HTTP/1.1 200 OK
Content-Type: application/json
Date: Thu, 04 Jun 2009 02:51:59 GMT

{"notificationSubscriptionList": {"periodicNotificationSubscription": [
  {
    "address": "tel:+1-555-0100",
    "callbackReference": {
      "callbackData": "1234",
      "notifyURL": "http://application.example.com/notifications/LocationNotification"
    },
    "clientCorrelator": "0001",
    "frequency": "10",
    "requestedAccuracy": "10",
    "resourceURL": "http://example.com/exampleAPI/1/location/subscriptions/periodic/tel:+1-555-0101 "
  },
  {
    "address": [
      "tel:+1-555-0100",
      "tel:+1-555-0101"
    ],
    "callbackReference": {
      "callbackData": "5678",
      "notifyURL": "http://application.example.com/notifications/LocationNotification"
    },
    "clientCorrelator": "0002",
    "frequency": "10",
    "requestedAccuracy": "10",
    "resourceURL": "http://example.com/exampleAPI/1/location/subscriptions/periodic/tel:+1-555-0102"
  }
]
}}
```

D.10 Create new periodic notification subscription, returning a representation of created resource (section 5.6.5.1)

Request:

```
POST /exampleAPI/1/location/subscriptions/periodic HTTP/1.1
Content-Type: application/JSON
Accept: application/json
Host: example.com
Content-Length: nnnn
```

```
{"periodicNotificationSubscription": {
  "address": "tel:+1-555-0100",
```

```

"callbackReference": {
  "callbackData": "1234",
  "notifyURL": "http://application.example.com/notifications/LocationNotification"
},
"clientCorrelator": "0001",
"frequency": "10",
"requestedAccuracy": "10"
}}

```

Response:

```

HTTP/1.1 201 Created
Content-Type: application/json
Location: http://example.com/exampleAPI/1/location/subscriptions/periodic/tel:+1-555-0100
Date: Thu, 04 Jun 2009 02:51:59 GMT

{"periodicNotificationSubscription": {
  "address": "tel:+1-555-0100",
  "callbackReference": {
    "callbackData": "1234",
    "notifyURL": "http://application.example.com/notifications/LocationNotification"
  },
  "clientCorrelator": "0001",
  "frequency": "10",
  "requestedAccuracy": "10",
  "resourceURL": "http://example.com/exampleAPI/1/location/subscriptions/periodic/tel:+1-555-0100"
}}

```

D.11 Create new periodic notification subscription, returning the location of created resource (section 5.6.5.2)

Request:

```

POST ./exampleAPI/1/location/subscriptions/periodic HTTP/1.1
Content-Type: application/JSON
Accept: application/json
Host: example.com
Content-Length: nnnn

{"periodicNotificationSubscription": {
  "address": "tel:+1-555-0100",
  "callbackReference": {
    "callbackData": "1234",
    "notifyURL": "http://application.example.com/notifications/LocationNotification"
  },
  "clientCorrelator": "0001",
  "frequency": "10",
  "requestedAccuracy": "10"
}}

```

Response:

```

HTTP/1.1 201 Created
Content-Type: application/json

```

```
Location: http://example.com/exampleAPI/1/location/subscriptions/periodic/tel:+1-555-0100
Content-Length: nnnn
Date: Thu, 04 Jun 2009 02:51:59 GMT

{"resourceReference": {
  "resourceURL": "http://example.com/exampleAPI/1/location/subscriptions/periodic/tel:+1-555-0100"
}}
```

D.12 Read individual notification subscription (section 5.7.3)

Request:

```
GET /exampleAPI/1/location/subscriptions/periodic/tel%3A%2B1-555-0100 HTTP/1.1
Accept: application/json
Host: example.com
```

Response:

```
HTTP/1.1 200 OK
Content-Type: application/JSON
Date: Thu, 04 Jun 2009 02:51:59 GMT

{"periodicNotificationSubscription": {
  "address": "tel:+1-555-0100",
  "callbackReference": {
    "callbackData": "1234",
    "notifyURL": "http://application.example.com/notifications/LocationNotification"
  },
  "clientCorrelator": "0001",
  "frequency": "10",
  "requestedAccuracy": "10",
  "resourceURL": "http://example.com/exampleAPI/1/location/subscriptions/periodic/tel:+1-555-0100"
}}
```

D.13 Update individual notification subscription (section 5.7.4)

Request:

```
PUT /exampleAPI/1/location/subscriptions/periodic/tel%3A%2B1-555-0100 HTTP/1.1
Content-Type: application/json
Accept: application/json
Host: example.com
```

Response:

```
HTTP/1.1 200 OK
Content-Type: application/json
Date: Thu, 04 Jun 2009 02:51:59 GMT

{"periodicNotificationSubscription": {
  "address": "tel:+1-555-0100",
  "callbackReference": {
    "callbackData": "1234",
    "notifyURL": "http://application.example.com/notifications/LocationNotification"
  }
}}
```

```
},
"clientCorrelator": "0001",
"frequency": "60",
"requestedAccuracy": "5",
"resourceURL": "http://example.com/exampleAPI/1/location/subscriptions/periodic/tel:+1-555-0100"
}}
```

Delete a notification subscription (section 5.7.6.1)

Request:

```
DELETE /exampleAPI/1/location/subscriptions/periodic/tel%3A%2B1-555-0100 HTTP/1.1
Accept: application/json
Host: example.com
```

Response:

```
HTTP/1.1 204 No Content
Date: Thu, 04 Jun 2009 02:51:59 GMT
```

D.14 Read all active area(circle) notification subscriptions (section 5.8.3)

Request:

```
GET /exampleAPI/1/location/subscriptions/area/circle HTTP/1.1
Accept: application/json
Host: example.com
```

Response:

```
HTTP/1.1 200 OK
Content-Type: application/json
Date: Thu, 04 Jun 2009 02:51:59 GMT

{"notificationSubscriptionList": {"circleNotificationSubscription": [
  {
    "address": "tel:+1-555-0100",
    "callbackReference": {
      "callbackData": "4444",
      "notifyURL": "http://application.example.com/notifications/LocationNotification"
    },
    "checkImmediate": "true",
    "clientCorrelator": "0003",
    "enteringLeavingCriteria": "Entering",
    "frequency": "10",
    "latitude": "100.23",
    "longitude": "-200.45",
    "radius": "500",
    "resourceURL": "http://example.com/exampleAPI/1/location/subscriptions/area/circle/tel:+1-555-0101",
    "trackingAccuracy": "10"
  },
  {
```

```

"address": [
  "tel:+1-555-0100",
  "tel:+1-555-0101"
],
"callbackReference": {
  "callbackData": "5555",
  "notifyURL": "http://application.example.com/notifications/LocationNotification"
},
"checkImmediate": "true",
"clientCorrelator": "0004",
"enteringLeavingCriteria": "Entering",
"frequency": "10",
"latitude": "100.23",
"longitude": "-200.45",
"radius": "500",
"resourceURL": "http://example.com/exampleAPI/1/location/subscriptions/area/circle/tel:+1-555-0102",
"trackingAccuracy": "10"
}
}}

```

D.15 Create new notification subscription (section 5.8.5)

Request:

```

POST /exampleAPI/1/location/subscriptions/area/circle HTTP/1.1
Content-Type: application/json
Accept: application/json
Host: example.com
Content-Length: nnnn

{"circleNotificationSubscription": {
  "address": "tel:+1-555-0100",
  "callbackReference": {
    "callbackData": "4444",
    "notifyURL": "http://application.example.com/notifications/LocationNotification"
  },
  "checkImmediate": "true",
  "clientCorrelator": "0003",
  "enteringLeavingCriteria": "Entering",
  "frequency": "10",
  "latitude": "100.23",
  "longitude": "-200.45",
  "radius": "500",
  "trackingAccuracy": "10"
}}

```

Response:

```

HTTP/1.1 201 Created
Content-Type: application/json
Location: http://example.com/exampleAPI/1/location/subscriptions/area/circle/tel:+1-555-0100
Date: Thu, 04 Jun 2009 02:51:59 GMT

{"circleNotificationSubscription": {
  "address": "tel:+1-555-0100",

```

```
"callbackReference": {
  "callbackData": "4444",
  "notifyURL": "http://application.example.com/notifications/LocationNotification"
},
"checkImmediate": "true",
"clientCorrelator": "0003",
"enteringLeavingCriteria": "Entering",
"frequency": "10",
"latitude": "100.23",
"longitude": "-200.45",
"radius": "500",
"resourceURL": "http://example.com/exampleAPI/1/location/subscriptions/area/circle/tel:+1-555-0100",
"trackingAccuracy": "10"
}}
```

D.16 Get individual notification subscription (section 5.9.3)

Request:

```
GET /exampleAPI/1/location/subscriptions/area/circle/tel:+1-555-0100 HTTP/1.1
Accept: application/json
Host: example.com
```

Response:

```
HTTP/1.1 200 OK
Content-Type: application/json
Date: Thu, 04 Jun 2009 02:51:59 GMT

{"circleNotificationSubscription": {
  "address": "tel:+1-555-0100",
  "callbackReference": {
    "callbackData": "4444",
    "notifyURL": "http://application.example.com/notifications/LocationNotification"
  },
  "checkImmediate": "true",
  "clientCorrelator": "0003",
  "enteringLeavingCriteria": "Entering",
  "frequency": "10",
  "latitude": "100.23",
  "longitude": "-200.45",
  "radius": "500",
  "resourceURL": "http://example.com/exampleAPI/1/location/subscriptions/area/circle/tel:+1-555-0100",
  "trackingAccuracy": "10"
}}
```

D.17 Update subscription for notification (section 5.9.4)

Request:

```
PUT /exampleAPI/1/location/subscriptions/area/circle/tel:+1-555-0100 HTTP/1.1
Content-Type: application/json
Accept: application/json
Host: example.com
```


Content-Length: nnnn

```
{
  "circleNotificationSubscription": {
    "address": "tel:+1-555-0100",
    "callbackReference": {
      "callbackData": "4444",
      "notifyURL": "http://application.example.com/notifications/LocationNotification"
    },
    "checkImmediate": "true",
    "clientCorrelator": "0003",
    "enteringLeavingCriteria": "Entering",
    "frequency": "10",
    "latitude": "100.23",
    "longitude": "-200.45",
    "radius": "50",
    "resourceURL": "http://example.com/exampleAPI/1/location/subscriptions/area/circle/tel:+1-555-0100",
    "trackingAccuracy": "10"
  }
}
```

Response:

HTTP/1.1 200 OK
Content-Type: application/json
Date: Thu, 04 Jun 2009 02:51:59 GMT

```
{
  "circleNotificationSubscription": {
    "address": "tel:+1-555-0100",
    "callbackReference": {
      "callbackData": "4444",
      "notifyURL": "http://application.example.com/notifications/LocationNotification"
    },
    "checkImmediate": "true",
    "clientCorrelator": "0003",
    "enteringLeavingCriteria": "Entering",
    "frequency": "10",
    "latitude": "100.23",
    "longitude": "-200.45",
    "radius": "50",
    "resourceURL": "http://example.com/exampleAPI/1/location/subscriptions/area/circle/tel:+1-555-0100",
    "trackingAccuracy": "10"
  }
}
```

D.18 Delete a subscription for area(circle) notification (section 5.9.6)

Request:

```
DELETE /exampleAPI/1/location/subscriptions/area/circle/tel:+1-555-0100 HTTP/1.1
Accept: application/json
Host: example.com
```

Response:

HTTP/1.1 204 No Content

Date: Thu, 04 Jun 2009 02:51:59 GMT

D.19 Read distance notification subscription (section 5.10.3)

Request:

```
GET /exampleAPI/1/location/subscriptions/distance HTTP/1.1
Accept: application/json
Host: example.com
```

Response:

```
HTTP/1.1 200 OK
Content-Type: application/json
Date: Thu, 04 Jun 2009 02:51:59 GMT

{"notificationSubscriptionList": {"distanceNotificationSubscription": [
  {
    "callbackReference": {
      "callbackData": "6666",
      "notifyURL": "http://application.example.com/notifications/LocationNotification"
    },
    "checkImmediate": "true",
    "clientCorrelator": "0006",
    "criteria": "AllWithinDistance",
    "distance": "100",
    "frequency": "10",
    "monitoredAddress": [
      "tel:+1-555-0101",
      "tel:+1-555-0102"
    ],
    "referenceAddress": "tel:+1-555-0100",
    "resourceURL": "http://example.com/exampleAPI/1/location/subscriptions/distance/tel:+1-555-0101",
    "trackingAccuracy": "10"
  },
  {
    "callbackReference": {
      "callbackData": "7777",
      "notifyURL": "http://application.example.com/notifications/LocationNotification"
    },
    "checkImmediate": "true",
    "clientCorrelator": "0007",
    "criteria": "AnyBeyondDistance",
    "distance": "1000",
    "frequency": "10",
    "monitoredAddress": [
      "tel:+1-555-0100",
      "tel:+1-555-0101",
      "tel:+1-555-0102"
    ],
    "resourceURL": "http://example.com/exampleAPI/1/location/subscriptions/distance/tel:+1-555-0102",
    "trackingAccuracy": "50"
  }
]}
}}
```

D.20 Create new distance notification (section 5.10.5)

Request:

```
POST /exampleAPI/1/location/subscriptions/distance HTTP/1.1
Content-Type: application/json
Accept: application/json
Host: example.com
Content-Length: nnnn
```

```
{"distanceNotificationSubscription": {
  "callbackReference": {
    "callbackData": "6666",
    "notifyURL": "http://application.example.com/notifications/LocationNotification"
  },
  "checkImmediate": "true",
  "clientCorrelator": "0006",
  "criteria": "AllWithinDistance",
  "distance": "100",
  "frequency": "10",
  "monitoredAddress": [
    "tel:+1-555-0101",
    "tel:+1-555-0102"
  ],
  "referenceAddress": "tel:+1-555-0100",
  "trackingAccuracy": "10"
}}
```

Response:

```
HTTP/1.1 201 Created
Content-Type: application/json
Location: http://example.com/exampleAPI/1/location/subscriptions/distance/tel:+1-555-0100
Date: Thu, 04 Jun 2009 02:51:59 GMT
```

```
{"distanceNotificationSubscription": {
  "callbackReference": {
    "callbackData": "6666",
    "notifyURL": "http://application.example.com/notifications/LocationNotification"
  },
  "checkImmediate": "true",
  "clientCorrelator": "0006",
  "criteria": "AllWithinDistance",
  "distance": "100",
  "frequency": "10",
  "monitoredAddress": [
    "tel:+1-555-0101",
    "tel:+1-555-0102"
  ],
  "referenceAddress": "tel:+1-555-0100",
  "resourceURL": "http://example.com/exampleAPI/1/location/subscriptions/distance/tel:+1-555-0100",
  "trackingAccuracy": "10"
}}
```

D.21 Read a subscription for distance notification (section 5.11.3)

Request:

```
GET /exampleAPI/1/location/subscriptions/distance/tel:+1-555-0100 HTTP/1.1
Accept: application/json
Host: example.com
```

Response:

```
HTTP/1.1 200 OK
Content-Type: application/json
Date: Thu, 04 Jun 2009 02:51:59 GMT

{"distanceNotificationSubscription": {
  "callbackReference": {
    "callbackData": "6666",
    "notifyURL": "http://application.example.com/notifications/LocationNotification"
  },
  "checkImmediate": "true",
  "clientCorrelator": "0006",
  "criteria": "AllWithinDistance",
  "distance": "100",
  "frequency": "10",
  "monitoredAddress": [
    "tel:+1-555-0101",
    "tel:+1-555-0102"
  ],
  "referenceAddress": "tel:+1-555-0100",
  "resourceURL": "http://example.com/exampleAPI/1/location/subscriptions/distance/tel:+1-555-0100",
  "trackingAccuracy": "10"
}}
```

D.22 Update a distance notification subscription (section 5.11.4.1)

Request:

```
PUT /exampleAPI/1/location/subscriptions/distance/tel:+1-555-0100 HTTP/1.1
Content-Type: application/json
Accept: application/json
Host: example.com
Content-Length: nnnn

{"distanceNotificationSubscription": {
  "callbackReference": {
    "callbackData": "6666",
    "notifyURL": "http://application.example.com/notifications/LocationNotification"
  },
  "checkImmediate": "true",
  "clientCorrelator": "0006",
  "criteria": "AllWithinDistance",
  "distance": "100",
  "frequency": "10",
  "monitoredAddress": [
```

```
"tel:+1-555-0101",
"tel:+1-555-0102",
"tel:+1-555-0103"
],
"referenceAddress": "tel:+1-555-0100",
"resourceURL": "http://example.com/exampleAPI/1/location/subscriptions/distance/tel:+1-555-0100",
"trackingAccuracy": "10"
}}
```

Response:

```
HTTP/1.1 200 OK
Content-Type: application/json
Date: Thu, 04 Jun 2009 02:51:59 GMT

{"distanceNotificationSubscription": {
  "callbackReference": {
    "callbackData": "6666",
    "notifyURL": "http://application.example.com/notifications/LocationNotification"
  },
  "checkImmediate": "true",
  "clientCorrelator": "0006",
  "criteria": "AllWithinDistance",
  "distance": "100",
  "frequency": "10",
  "monitoredAddress": [
    "tel:+1-555-0101",
    "tel:+1-555-0102",
    "tel:+1-555-0103"
  ],
  "referenceAddress": "tel:+1-555-0100",
  "resourceURL": "http://example.com/exampleAPI/1/location/subscriptions/distance/tel:+1-555-0100",
  "trackingAccuracy": "10"
}}
```

D.23 Delete a distance notification subscription (section 5.11.6.1)

Request:

```
DELETE /exampleAPI/1/location/subscriptions/distance/tel:+1-555-0100 HTTP/1.1
Accept: application/json
Host: example.com
```

Response:

```
HTTP/1.1 204 No Content
Date: Thu, 04 Jun 2009 02:51:59 GMT
```

D.24 Circle area notification – one terminal (section 5.12.5.1)

Request:

```
POST /notifications/LocationNotification HTTP/1.1
Content-Type: application/json
```

```
Accept: application/json
Host: application.example.com
Content-Length: nnnn

{"subscriptionNotification": {
  "callbackData": "4444",
  "enteringLeavingCriteria": "Entering",
  "isFinalNotification": "false",
  "link": {
    "href": "http://example.com/exampleAPI/1/location/subscriptions/area/circle/tel:+1-555-0100",
    "rel": "CircleNotificationSubscription"
  },
  "terminalLocation": {
    "address": "tel:+1-555-0100",
    "currentLocation": {
      "accuracy": "100",
      "altitude": "1001.0",
      "latitude": "-80.86302",
      "longitude": "41.277306",
      "timestamp": "2009-06-03T00:27:23.000Z"
    },
    "locationRetrievalStatus": "Retrieved"
  }
}}
```

Response:

```
HTTP/1.1 204 No Content
Date: Thu, 04 Jun 2009 02:51:59 GMT
```

D.25 Periodic location notification – one terminal (section 5.12.5.2)

Request:

```
POST /notifications/LocationNotification HTTP/1.1
Content-Type: application/json
Accept: application/json
Host: application.example.com
Content-Length: nnnn

{"subscriptionNotification": {
  "callbackData": "1234",
  "isFinalNotification": "false",
  "link": {
    "href": "http://example.com/exampleAPI/1/location/subscriptions/periodic/tel:+1-555-0100",
    "rel": "PerodicNotificationSubscription"
  },
  "terminalLocation": {
    "address": "tel:+1-555-0100",
    "currentLocation": {
      "accuracy": "100",
      "altitude": "1001.0",
      "latitude": "-80.86302",
```

```
    "longitude": "41.277306",
    "timestamp": "2009-06-03T00:27:23.000Z"
  },
  "locationRetrievalStatus": "Retrieved"
}
}}
```

Response:

```
HTTP/1.1 204 No Content
Date: Thu, 04 Jun 2009 02:51:59 GMT
```

D.26 Distance notification – one terminal (section 5.12.5.3)

Request:

```
POST /notifications/LocationNotification HTTP/1.1
Content-Type: application/json
Accept: application/json
Host: application.example.com
Content-Length: nnnn

{"subscriptionNotification": {
  "callbackData": "6666",
  "distanceCriteria": "AllBeyondDistance",
  "isFinalNotification": "false",
  "link": {
    "href": "http://example.com/exampleAPI/1/location/subscriptions/distance/tel:+1-555-0100",
    "rel": "DistanceNotificationSubscription"
  },
  "terminalLocation": {
    "address": "tel:+1-555-0100",
    "currentLocation": {
      "accuracy": "100",
      "altitude": "1001.0",
      "latitude": "-80.86302",
      "longitude": "41.277306",
      "timestamp": "2009-06-03T00:27:23.000Z"
    },
    "locationRetrievalStatus": "Retrieved"
  }
}
}}
```

Response:

```
HTTP/1.1 204 No Content
Date: Thu, 04 Jun 2009 02:51:59 GMT
```

D.27 Final periodic location notification (section 5.12.5.4)

Request:

```
POST /notifications/LocationNotification HTTP/1.1
```

```

Content-Type: application/json
Accept: application/json
Host: application.example.com
Content-Length: nnnn

{"subscriptionNotification": {
  "callbackData": "1234",
  "isFinalNotification": "true",
  "link": {
    "href": "http://example.com/exampleAPI/1/location/subscriptions/periodic/tel:+1-555-0100",
    "rel": "FinalDistanceNotificationSubscription"
  },
  "terminalLocation": {
    "address": "tel:+1-555-0100",
    "currentLocation": {
      "accuracy": "100",
      "altitude": "1001.0",
      "latitude": "-80.86302",
      "longitude": "41.277306",
      "timestamp": "2009-06-03T00:27:23.000Z"
    },
    "locationRetrievalStatus": "Retrieved"
  }
}}

```

Response:

```

HTTP/1.1 204 No Content
Date: Thu, 04 Jun 2009 02:51:59 GMT

```

D.28 Subscription cancellation notification (section 5.12.5.5)**Request:**

```

POST /notifications/LocationNotification HTTP/1.1
Content-Type: application/json
Accept: application/json
Host: application.example.com
Content-Length: nnnn

{"subscriptionCancellationNotification": {
  "address": "tel:+1-555-0100",
  "callbackData": "6666",
  "link": {
    "href": "http://example.com/exampleAPI/1/location/subscriptions/distance/tel:+1-555-0100",
    "rel": "DistanceNotificationSubscription"
  },
  "reason": {
    "messageId": "SVC0001",
    "text": "A service error occurred. %1 %2",
    "variables": [
      "Location information is not available for",
      "tel:+1-555-0100"
    ]
  }
}}

```



```
}}
```

Response:

```
HTTP/1.1 204 No Content  
Date: Thu, 04 Jun 2009 02:51:59 GMT
```

Appendix E. Parlay X operations mapping (Informative)

The table below illustrates the mapping between REST resources/operations and Parlay X equivalent operations.

ParlayREST Resource	ParlayREST Method	ParlayREST Section reference	Parlay X equivalent operation
Terminal location	GET	5.4.3	GetLocation GetLocationForGroup
Terminal distance	GET	5.5.3	GetTerminalDistance
Periodic location notification subscriptions	POST	5.6.5	StartPeriodicNotification
Individual periodic location notification subscription	PUT	5.7.4	StartPeriodicNotification
Individual periodic location notification subscription	DELETE	5.7.6	EndNotification
Area (circle) notification subscriptions	POST	5.8.5	StartGeographicalNotification
Area (circle) individual notification subscription	PUT	5.9.4	StartGeographicalNotification
Area (circle) individual notification subscription	DELETE	5.9.6	EndNotification
Distance notification subscriptions	POST	5.10.5	StartDistanceNotification
Distance individual notification subscription	PUT	5.11.4	StartDistanceNotification
Distance individual notification subscription	DELETE	5.11.6	EndNotification
Client notification callback resource	POST POST POST POST	5.12.5	LocationNotification DistanceNotification LocationEnd LocationError

Table 1 Parlay X operations mapping